

Exam Code: 1z0-257

Exam Name: Hyperion Financial Management4.1

Consultant

Vendor: Oracle

Version: DEMO

Part: A

1: Which two statements are true about HFM Security? (Choose two.)

- A. Lightweight Directory Access Protocol (LDAP) groups can be added to HFM Security.
- B. HFM user names must be created in either the default Windows network security or through Lightweight Directory Access Protocol (LDAP) to have access to HFM.
- C. Users added to HFM Security that do not reside in either default Windows security or Lightweight Directory Access Protocol (LDAP) will have view access only to HFM.
- D. HFM user names must be part of a user group in either the default Windows network security or through Lightweight Directory Access Protocol (LDAP) to have access to HFM.

Correct Answers: A B

2: The AllowAdjFromChildren attribute is checked on a parent entity. Which two nodes in the Value dimension are valid for Journal entries? (Choose two.)

- A. <Entity Currency>
- B. <Parent Curr Adjs>
- C. [Parent Adjs]
- D. [Contribution Adjs]
- E. <Entity Curr Adjs>

Correct Answers: C D

3: What is the default authentication provider for HFM?

- A. Sun iPlanet
- B. Novell NDS
- C. Microsoft NTLM
- D. Microsoft Active Directory

Correct Answers: C

4: In the HFM Business rules, the List function can be used to get the elements specified in lists that are defined _____. (Choose three.)

- A. in the .lst file as a fixed list
- B. in the .lst file as a dynamic list
- C. as a system list using the [Base] function
- D. as a system list using the [Level0] function
- E. as a system list using the [Generation1] function

Correct Answers: A B C

5: What is required for HFM Administrators to have access to Hyperion Hub?

- A. Configure HFM for external Authentication.
- B. Configure Hub to allow NTLM Authentication.
- C. Add the HFM user as an Administrator on the Hub Server.
- D. Add a DCOM user with launching permissions on the Hub server.

Correct Answers: A

6: Hub allows for data and metadata sharing between which three products? (Choose three.)

- A.Hyperion Pillar
- B.Hyperion Planning
- C.Hyperion Strategic Finance
- D.Hyperion Business Modeling
- E.Hyperion Financial Management

Correct Answers: B D E

7: An administrator needs to link several integrations together in the Hub and run them sequentially. How can this be accomplished?

- A.Add the integrations to a group.
- B.Use Hyperion Application Link to run the integrations sequentially.
- C.Use Common Event services to schedule the DataBroker integrations.
- D.Build a master integration in DataBroker which has several sub integrations within it.

Correct Answers: A

8: Which three lines of code are valid? (Choose three.)

- A.If HS.Value.Member = "[Proportion]" Then
- B.If HS.Value.Member = "<Entity Currency>" Then
- C.If HS.Value.Member = "[Contribution Adjs]" Then
- D.If HS.Value.Member = "[Parent Total]" Then
- E.If HS.Value.Member = "<Parent Currency>" Then

Correct Answers: A B C

9: Which dimension's member must have SupportsProcessManagement selected to enable Process Control functionality?

- A.Entity
- B.Value
- C.Account
- D.Scenario

Correct Answers: D

10: Which three activities are logged into the data audit? (Choose three.)

- A.Data Entry
- B.Data Clear
- C.Auditing Data
- D.Run Allocations
- E.Perform Consolidations

Correct Answers: A B C

11: Of the dimensions listed below, which are valid on the left side of the equation for HS.Exp? (Choose two.)

- A.ICP
- B.Period

- C.Entity
- D.Scenario
- E.Account

Correct Answers: A E

12: An HFM user is creating a journal report on the web. Which three dimensions from the POV are available on the Properties panel to select members? (Choose three.)

- A.Value
- B.Entity
- C.Period
- D.Account
- E.Scenario

Correct Answers: A C E

13: Which formula retrieves the data for January sales in Smart View?

- A.=HsGetCell("A#Sales.P#January.")
- B.=HsGetValue("Account#Sales.Period#January.")
- C.=HsGetCell("Account#Sales.Period#January.")
- D.=HsGetValue("A#Sales.P#January.")

Correct Answers: B

14: How is access to the HFM Administration module on the web controlled?

- A."Yes" access to the Administrator role
- B."Yes" access to the Web Administration Module role
- C.Membership in the Creator Group configured on the HFM application server
- D.Membership in the Administrator Group configured on the HFM application server

Correct Answers: D

15: Of the dimensions listed below, which two are not valid destination dimensions in an HS.Con statement? (Choose two.)

- A.Value
- B.Scenario
- C.Period
- D.Custom3
- E.Entity

Correct Answers: B C

16: Which two statements are true about Validation accounts? (Choose two.)

- A.Validation accounts cannot have children.
- B.The Validation account must be zero to lock data.
- C.The Validation account must be populated by rules.
- D.The Validation account must be zero to process the data to any level.

Correct Answers: B D

17: What are three roles in HFM security? (Choose three.)

- A.Run Allocation
- B.Delete Journals
- C.Create Unbalanced Journals
- D.Save System Report on Server

Correct Answers: A C D

18: Using Hyperion Reports, the Relative Member function performs which arithmetic function?

- A.offsets
- B.addition
- C.division
- D.subtraction

Correct Answers: A

19: Which condition must exist to be able to post Intercompany transactions to the system?

- A.All loaded transactions must have a matched status.
- B.All transactions must have either a matched or mis-matched status
- C.All transactions must have a reason code.
- D.All selected mismatched transactions must have a reason code.

Correct Answers: D

20: A match code assigned of "R" signifies:

- A.A reversed transaction match
- B.The transaction was generated from a template
- C.The transaction match was regenerated
- D.The transaction was matched based on Reference ID

Correct Answers: D