

Exam Code: 000-905

Exam Name: IBM Tivoli Composite App.Mgr - WebSphere
v6.1 Implementation

Vendor: IBM

Version: DEMO

Part: A

1: Which ports should be used when ITCAM for WebSphere Data Collectors are being installed in a network deployment environment?

- A.HTTP port of the deployment manager
- B.SOAP port of the deployment manager
- C.the SOAP port of the local admin server
- D.the bootstrap port of the local admin server

Correct Answers: B

2: Which command will show if any Data Collectors are currently registered with the Managing Server?

- A.amctl.sh status
- B.klctl.sh status
- C.dcctl.sh status
- D.am-check.sh status

Correct Answers: B

3: What is one protocol used by the Managing Server to communicate with the Data Collectors?

- A.IMS
- B.RMI
- C.SQL
- D.XML

Correct Answers: B

4: Which component of IMS Connect must be installed in the WebSphere Application Server JVM to support composite transactions that invoke IMS?

- A.IMS load libraries
- B.IMS resource adapter
- C.WebSphere MQ for IMS
- D.IMS exit program DFSMSCE0

Correct Answers: B

5: When determining the network bandwidth needed for a Data Collector, what is the most dominant factor?

- A.number of Web applications
- B.number of active transactions
- C.number of transactions monitored in L3
- D.number of data collectors providing data

Correct Answers: C

6: Identify the two situations below in which the silent install is either the best option or the only choice? (Choose two.)

- A.Data Collectors are being installed on many physical servers.
- B.When there are some settings that can only be made by using the silent install.
- C.When the silent install provides additional logging and can help with problem determination.
- D.When the host on which the Data Collector is being installed does not have X Window System available.
- E.When a Data Collector install is to be done on x/Linux which does not have a desktop such as Gnome or KDE, though it has X Window System.

Correct Answers: A D

7: Which three configurations generate correlation for composite transaction? (Choose three.)

- A.WebSphere accessing DB2 on z/OS
- B.CICS transaction invoking IMS DBCTL call
- C.WebSphere calling IMS using IMS Connect
- D.WebSphere calling Web Services running on another WebSphere
- E.CICS transaction using Distributed Program Link (DPL) to another CICS region
- F.WebSphere connecting to Enterprise Resource Planning (ERP) application using messaging

Correct Answers: C D E

8: If the Typical (embedded) installation method is used to install ITCAM for WebSphere, what component is installed in the Managing Server environment?

- A.Publishing Agent
- B.Tivoli Enterprise Portal
- C.Global Publishing Server
- D.Tivoli Enterprise Monitoring Agent

Correct Answers: C

9: The ITCAM for WebSphere Managing Server is composed of which components?

- A.Kernel, Publisher Server, Archive Agent, Message Dispatch, Local Publish Server, Visualization Engine
- B.Kernel, Publishing Server, Archive Agent, Polling Agent, Message Dispatcher, Global Publish Server, GUI
- C.Kernel, Publish Server, Archive Agent, Message Dispatcher, Global Publish Server, Visualization Engine
- D.Kernel, Published Server, Archive Agents, Polling Agent, Message Dispatcher, Global Publish Server, Visualization Engine

Correct Answers: C

10: After completing an ITCAM for WebSphere Typical (embedded) install, what could be done first to verify a successful installation of WebSphere?

- A.create a schedule
- B.configure a data collector
- C.check for ITCAM process ID
- D.log on to the WebSphere Administrative console

Correct Answers: D

11: In order to support a Managing Server on the Windows platform, what must be installed and configured?

- A.ssh server
- B.LDAP user authentication
- C.Microsoft Services for UNIX
- D.Active Directory directory services

Correct Answers: C

12: Which single DB2 database configuration must be performed prior to a Custom Managing Server installation?

- A.enable DB2 SMTP monitoring for alerts
- B.A database must be created prior to the Managing Server installation.
- C.Run the db2 list application command prior to managing server installation.
- D.Run the db2 select * from syscat command prior to managing server installation.

Correct Answers: B

13: Which statement is true regarding the database for ITCAM for WebSphere Managing Server?

- A.The OCTIGATE database must be used.
- B.A Typical (embedded) installation cannot be used when using an Oracle database.
- C.For an existing DB2 database, a different instance user ID and Database schema user must be specified.
- D.The remote database can only be configured independently from the installation wizard using the db2configuration.sh.

Correct Answers: B

14: What is the minimum recommended increase to the heap size for the monitored WebSphere Application Server before installing the Data Collector?

- A.64 MB
- B.128 MB
- C.512 MB
- D.1024 MB

Correct Answers: B

15: Identify the correct statement for a Typical (embedded) installation of the Managing Server?

- A.Select a remote machine for the DB2 database.
- B.Typical installation only works on Windows platforms.
- C.Install with WebSphere and create a local Oracle database.
- D.The installation will fail if DB2 is already installed on the machine.

Correct Answers: D

16: Which installation program provides only a text-based interactive interface?

- A.Data Collector installation on z/Linux
- B.Managing Server installation on z/Linux

- C. ITCAM for WebSphere TEMA installation on UNIX
- D. application support for ITCAM for WebSphere TEMA on Windows

Correct Answers: C

17: What additional step must be taken when installing a Data Collector on a system with multiple IP addresses?

- A. No additional configuration is required.
- B. Specify the IP address to be used during Data Collector configuration.
- C. Specify the IP address to be used during Managing Server installation.
- D. Use the Application Monitor interface on the Managing Server to specify the IP address for communication with the Data Collector.

Correct Answers: B

18: ITCAM for WebSphere Managing Server is being installed in a stand alone WebSphere Application Server environment. The default SOAP port number 8880 is not valid (or is changed). Which WebSphere configuration files contain the valid port number for the environment?

- A. the httpd.conf file or the server.xml file
- B. the sysctl.conf file or the pmi-metric.xml file
- C. the sysctl.xml file or the environment.xml file
- D. the serverindex.xml file or the wsadmin.properties file

Correct Answers: D

19: The Managing Server components require the use of several default server ports. What network command can be issued to check if these ports are in use?

- A. ipstat
- B. netstat
- C. ifconfig
- D. ipconfig

Correct Answers: B

20: The java.security.policy custom property (JVM) parameter configured into WebSphere Application Server for the ITCAM for WebSphere Data Collector points to which policy file?

- A. app.policy
- B. java.policy
- C. server.policy
- D. datacollector.policy

Correct Answers: D