



**Vendor:** IBM

**Exam Code:** 000-017

**Exam Name:** Foundations of Tivoli process automation engine V7.1

**Version:** DEMO

**QUESTION 1**

Which statement is true when discussing users?

- A. A labor record requires a user record.
- B. A person record requires a user record.
- C. A user record requires a person record.
- D. A person record requires a labor record.

**Answer: C**

**QUESTION 2**

Which data element is required to be defined and activated to facilitate polling of the system when updating a Start Center's KPI portlet?

- A. Workflow
- B. Cron Task
- C. Properties
- D. Escalation

**Answer: B**

**QUESTION 3**

What is the correct syntax for including the work order number in the subject line of a communication template?

- A. Work Order :WONUM
- B. Work Order WONUM
- C. Work Order [WONUM]
- D. Work Order [WORKORDER.WONUM]

**Answer: A**

**QUESTION 4**

What is defined in the User application?

- A. User name, password and primary assets
- B. User name, user ID, primary time zone and work type
- C. User name, password, default language and default insert site
- D. User name, password, default storeroom and ability to access inactive sites

**Answer: C**

**QUESTION 5**

A business requires the blocking of status changes when a work order record is in workflow, unlocking at a certain point to perform a status change to APPR, and then relocking when the status change occurs. Leveraging the workflow tool, what are the necessary data elements and steps to meet this requirement?

- A. On the workflow connector line where the status block is to begin use the NOSTATUS action.

To unlock the status change block, prior to the next status change, on a connector line use the OKSTATUS action.

- B. In the Actions application, for the work order object, create the following Change Status type actions: OKSTATUS, WOAPPR, NOSTATUS. On the workflow connector line where the status block is to begin use the NOSTATUS action. To unlock the status change block, prior to the next status change, on a connector line use the OKSTATUS and WOAPPR actions.
- C. In the Actions application, create an Action Group for the work order object with the following members in the following order: OKSTATUS, Work Order Approval action, NOSTATUS. On the workflow connector line where the status block is to begin use a NOSTATUS action. To unlock the status change block, prior to the next status change, on a connector line use the Action Group.
- D. In the Actions application, for the work order object, create the following Change Status type actions: OKSTATUS, WOAPPR, NOSTATUS. Create an Action Group for the work order object with the following members in the following order: OKSTATUS, WOAPPR, NOSTATUS. On the workflow connector line where the status block is to begin use a NOSTATUS action. To unlock the status change block, prior to the next status change, on a connector line use the Action Group.

**Answer: C**

#### **QUESTION 6**

How many Security Groups can a User belong to?

- A. 1
- B. 2
- C. 100
- D. Essentially unlimited, based on the customers requirements

**Answer: D**

#### **QUESTION 7**

What does the Schedule field refer to when creating an escalation?

- A. The schedule by which the escalation will poll for conditions
- B. The scheduled working hours of the escalation response team
- C. The scheduled days of the week for which the escalation path is valid
- D. A scheduled timer that is set when the condition checked by the escalation change, after which the escalation fires

**Answer: A**

#### **QUESTION 8**

A company has a business requirement to limit the range of numeric values in the Work Order Priority field to between 1 and 5, so that it can be compared to a similar range given to the Asset / Location Priority field. Which type of domain and Application Designer control should be used?

- A. Create an ALN domain, associate this domain to the WOPRIORITY attribute, and configure the database. In the WOTRACK application, add a textbox control and associate the
- B. Create a NUMERIC domain, associate this domain to the WOPRIORITY attribute, and configure the database. In the WOTRACK application, add a combobox control and associate

- C. Create a NUMERIC domain, associate this domain to the WOPRIORITY attribute, and configure the database. In the WOTRACK application, to the existing textbox control for the
- D. Create an ALN domain, associate this domain to the WOPRIORITY attribute, and configure the database. In the WOTRACK application, add a newcombobox control and associate

**Answer: C**

**QUESTION 9**

Running an Initial Discovery without explicit authorization credentials results in the discovered devices being added on to which group?

- A. static group
- B. unknown resources
- C. untyped dynamic group
- D. default provisioning group

**Answer: B**

**QUESTION 10**

On the Service Request application, the service desk agents reference multiple locations and assets. Which create work order option is available?

- A. PM
- B. Child
- C. Parent
- D. Activities

**Answer: B**