

Vendor: EMC

Exam Code: E20-515

Exam Name: Symmetrix Solutions Specialist Exam for

Technology Architects

Version: DEMO

QUESTION 1

You want to make use of Open Replicator and move data from a Symmetrix device to an undiscovered CLARiiON array. What information has to be specified in the Open Replicator device file?

- A. The CLARiiON Array ID and LUN ID
- B. The WWN of the CLARiiON LUN
- C. The CLARiiON Array ID and WWN of the CLARiiON target device
- D. The WWN and LUN ID of the CLARiiON target device

Answer: B

QUESTION 2

Refer to the exhibit. Symmetrix Management Console will be deployed in a local configuration on Server A. Server A has access to the Symmetrix array over the SAN. What licenses are required on Server A?



- A. SMC key only
- B. Base, SMC, and SYMAPI server keys
- C. Base and SMC keys
- D. Base and SYMAPI server keys

Answer: B

QUESTION 3

What is a prerequisite for a Hot Push with Open Replicator?

- A. Each FA port on the Control array (with mapped Control devices) must be able to access the corresponding Remote devices.
- B. Each FA port on the Remote array (with mapped Remote devices) must be able to access the

corresponding Control devices.

- C. One FA port on the Control array (with mapped Control devices) must be able to access the corresponding Remote devices.
- D. One FA port on the Remote array (with mapped Remote devices) must be able to access the corresponding Control devices.

Answer: A

QUESTION 4

Refer to the exhibit. Symmetrix Management Console will be deployed in a remote configuration on Server A. Server A can access Server B over an IP network. Server B has access to the Symmetrix array over the SAN.

Which license(s) is required on Server A?



- A. SMC key only
- B. Base, SMC, and SYMAPI server keys
- C. Base and SMC keys
- D. Base and SYMAPI server keys

Answer: A

QUESTION 5

A Symmetrix customer wants to create additional thin devices by using a graphical user interface. Which tool would be best suited in this scenario?

- A. Symmetrix Manager
- B. Symmetrix Management Console
- C. Storage Provisioning Services
- D. Solutions Enabler

Answer: B

QUESTION 6

A customer currently manages their Symmetrix V-Max array environment with SYMCLI within the administrative storage group. They are instituting a third-shift operations group that will perform storage tasks such as device creation, device mapping, and LUN masking.

What solution fits this expanding business requirement and organizational change?

- A. Symmetrix Management Console
- B. Symmetrix Manager
- C. Automated Resource Manager
- D. EMC z/OS Storage Manager

Answer: A

QUESTION 7

What is the purpose of the Storage Template feature in the Symmetrix Management Console?

- A. Simplify storage allocation to hosts from Symmetrix DMX-4 arrays
- B. Simplify storage allocation to hosts from all Symmetrix arrays
- C. Simplify storage allocation to hosts from Symmetrix V-Max arrays
- D. Simplify Device Group management for Symmetrix V-Max arrays

Answer: C

QUESTION 8

Which replication models can be monitored by the Symmetrix Management Console Replication Monitor?

- A. SRDF/S, TimeFinder/Clone, and TimeFinder/Snap
- B. SRDF/A, SRDF/S, and TimeFinder/Snap
- C. SRDF/A, SRDF/Adaptive Copy Disk, and TimeFinder/Clone
- D. SRDF/A, TimeFinder/Clone, and TimeFinder/Snap

Answer: B

QUESTION 9

What replication operations are supported by the Symmetrix Management Console?

- A. Open Replicator, SRDF/A, and SRDF/S
- B. SRDF/Star, TimeFinder/Clone, and TimeFinder/Snap
- C. Open Replicator, SRDF/Star, and TimeFinder/Snap
- D. SRDF/A, SRDF/S, and SRDF/Star

Answer: A

QUESTION 10

What replication operations are supported by Solutions Enabler SYMCLI but NOT by Symmetrix Management Console?

- A. Open Replicator
- B. TimeFinder/Clone and TimeFinder/Snap
- C. SRDF/A and SRDF/S
- D. SRDF/Star

Answer: D

QUESTION 11

When creating a new Symmetrix logical volume with SYMCLI, what unit can be used to specify the size?

- A. Cylinders
- B. Tracks
- C. Sectors
- D. Blocks

Answer: A

QUESTION 12

With the DMX-3 and DMX-4, where is the VCM database stored?

- A. Symmetrix File System
- B. Symmetrix Logical Volume
- C. Symmetrix Virtual Device
- D. Symmetrix VCM Device

Answer: A

QUESTION 13

Refer to the exhibit. In a Symmetrix V-Max array, which configuration actions might fail to execute simultaneously because of lock contention within the Symmetrix?





QUESTION 14

In a Symmetrix V-Max array what is the maximum number of RAID groups that can concurrently exist in a RAID Virtual Architecture (RVA)?

A. 1

- B. 2
- C. 3
- D. 4

Answer: B

QUESTION 15

How many mirror positions does a RAID 1 protected volume occupy in a Symmetrix running 5874 Enginuity?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: A

★ Instant Download ★ PDF And VCE ★ 100% Passing Guarantee ★ 100% Money Back Guarantee

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and
 VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: <u>http://www.passleader.com/all-products.html</u>



10% Discount Coupon Code: STNAR2014