



Vendor: CIW

Exam Code: 1D0-635

Exam Name: CIW JavaScript Specialist

Version: DEMO

QUESTION 1

Assuming the function `<body onload="DisplayName()">` is called, which script block will display Hello Joe in the document window after you enter the name Joe?

- A.

```
<script type="text/javascript">
function DisplayName(void){
var YourName = window.prompt("What is your name?","Please enter your name");
document.write("Hello " + YourName);
}
</script>
```
- B.

```
<script type="text/javascript">
function DisplayName(){
var YourName = window.prompt("What is your name?","Please enter your name");
document.write("Hello " + YourName);
}
</script>
```
- C.

```
<script type="text/javascript">
function DisplayName(void){
var YourName = document.prompt("What is your name?","Please enter your name");
document.write("Hello " + YourName);
}
</script>
```
- D.

```
<script type="text/javascript">
function DisplayName(){
var YourName = document.prompt("What is your name?","Please enter your name");
document.write("Hello " + yourname);
}
</script>
```

Answer: B

QUESTION 2

Consider the following code fragment, which sets up the retrieval of an XML document named fish.xml and calls a function named showFish():
`var xmlhttp = new XMLHttpRequest();`
`xmlhttp.open("GET", "fish.xml", true);`
`xmlhttp.onreadystatechange = showFish();`
`xmlhttp.send();`
Which line of code initializes the XMLHttpRequest object?

- A. `xmlhttp.send();`
- B. `var xmlhttp = new XMLHttpRequest();`
- C. `xmlhttp.open("GET", "fish.xml", true);`
- D. `xmlhttp.onreadystatechange = showFish();`

Answer: C

QUESTION 3

Which of the following demonstrate the correct syntax for the switch statement?

- A.

```
var myName= "Paul"
switch (myName){
case "Peter"
document.write("My name is Peter.<br />")
break
```

- ```
case "Paul"
document.write("My name is Paul.
")
break: (default);
document.write("I do not have a name.
")
}
```
- B. `var myName= "Paul"`  
`switch (myName){`  
`case "Peter"`  
`document.write("My name is Peter.<br />")`  
`break`  
`case "Paul"`  
`document.write("My name is Paul.<br />")`  
`break: (default);`  
`document.write("I do not have a name.<br />")`  
`}`
- C. `var myName= "Paul"`  
`switch (myName){`  
`case (Peter)`  
`document.write("My name is Peter.<br />")`  
`break`  
`case (Paul)`  
`document.write("My name is Paul.<br />")`  
`break;`  
`case: (default);`  
`document.write("I do not have a name.<br />")`  
`}`
- D. `var myName= "Paul"`  
`switch (myName){`  
`case (Peter)`  
`document.write("My name is Peter.<br />")`  
`break`  
`case (Paul)`  
`document.write("My name is Paul.<br />")`  
`break;`  
`case: (default);`  
`document.write("I do not have a name.<br />")`  
`}`

**Answer: A**

#### QUESTION 4

Consider the following code:

```
<script type="text/javascript"> var v1 = "alpha";
function f () { var v2 = "bravo";
alert (v1 + ", " + v2);
} f();
v1="charlie"; alert (v1 + ", " + v2);
</script>
```

What is the expected result when you run this script in the browser?

- A. An alert box displaying charlie, bravo  
B. An alert box displaying alpha, bravo followed by an error

- C. Two alert boxes displaying alpha, bravo and alpha, bravo respectively
- D. Two alert boxes displaying alpha, bravo and charlie, bravo respectively, followed by an error

**Answer: B**

#### **QUESTION 5**

Which of the following is a valid variable name in JavaScript?

- A. this
- B. that
- C. 2that
- D. 2this

**Answer: B**

#### **QUESTION 6**

What basic code is needed to define a function in JavaScript?

- A. `function myFunction { }`
- B. `define myFunction() { }`
- C. `function myFunction() { }`
- D. `define myFunction { return value; }`

**Answer: C**

#### **QUESTION 7**

When using AJAX, what is the purpose of the XMLHttpRequest object?

- A. To transfer an XML document to the Web server
- B. To request data from the Web server strictly in XML format
- C. To read and write to an XML file stored on the local machine
- D. To request either XML data or plaintext data from the Web server

**Answer: D**

#### **QUESTION 8**

Which statement will correctly call a JavaScript function without error?

- A. `var myFunction()`
- B. `initiate myFunction()`
- C. `call myFunction()`
- D. `myFunction()`

**Answer: D**

## Thank You for Trying Our Product

### PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER  
NETWORKS



EMC²  
where information lives®

**10% Discount Coupon Code: STNAR2014**