

Exam Code: jn0-331

Exam Name: SEC,Specialist(JNCIS-SEC)

Vendor: Juniper Networks

Version: DEMO

1: Regarding zone types, which statement is true?

- A.You cannot assign an interface to a functional zone.
- B.You can specify a functional zone in a security policy.
- C.Security zones must have a scheduler applied.
- D.You can use a security zone for traffic destined for the device itself.

Correct Answers: D

2: Regarding attacks, which statement is correct?

- A.Both DoS and propagation attacks exploit and take control of all unprotected network devices.
- B.Propagation attacks focus on suspicious packet formation using the DoS SYN-ACK-ACK proxy flood.
- C.DoS attacks are directed at the network protection devices, while propagation attacks are directed at the servers.
- D.DoS attacks are exploits in nature, while propagation attacks use trust relationships to take control of the devices.

Correct Answers: D

3: Click the Exhibit button.

[edit schedulers]

user@host# show

scheduler now {

monday all-day;

tuesday exclude;

wednesday {

start-time 07:00:00 stop-time 18:00:00;

}

thursday {

start-time 07:00:00 stop-time 18:00:00;

}

}

[edit security policies from-zone Private to-zone External]

user@host# show

policy allowTransit {

match {

source-address PrivateHosts;

destination-address ExtServers;

application ExtApps;

}

then {

permit {

tunnel {

ipsec-vpn myTunnel;

}

}

```
}
```

```
scheduler-name now;
```

Based on the configuration shown in the exhibit, what are the actions of the security policy?

- A. The policy will always permit transit packets and use the IPsec VPN myTunnel.
- B. The policy will permit transit packets only on Monday, and use the IPsec VPN Mytunnel.
- C. The policy will permit transit packets and use the IPsec VPN myTunnel all day Monday and Wednesday 7am to 6pm, and Thursday 7am to 6pm.
- D. The policy will always permit transit packets, but will only use the IPsec VPN myTunnel all day Monday and Wednesday 7am to 6pm, and Thursday 7am to 6pm.

Correct Answers: C

4: Which two statements are true regarding proxy ARP? (Choose two.)

- A. Proxy ARP is enabled by default.
- B. Proxy ARP is not enabled by default.
- C. JUNOS security devices can forward ARP requests to a remote device when proxy ARP is enabled.
- D. JUNOS security devices can reply to ARP requests intended for a remote device when proxy ARP is enabled.

Correct Answers: B D

5: For IKE phase 1 negotiations, when is aggressive mode typically used?

- A. when one of the tunnel peers has a dynamic IP address
- B. when one of the tunnel peers wants to force main mode to be used
- C. when fragmentation of the IKE packet is required between the two peers
- D. when one of the tunnel peers wants to specify a different phase 1 proposal

Correct Answers: A

6: Click the Exhibit button.

```
[edit groups]
```

```
user@host# show
```

```
node0 {  
  system {  
    host-name NODE0;
```

```
  }
```

```
  interfaces {
```

```
    fxp0 {
```

```
      unit 0 {
```

```
        family inet {
```

```
          address 1.1.1.1/24;
```

```
        }
```

```
      }
```

```
    }
```

```
  }
```

```
}
```

```

node1 {
system {
host-name NODE1;
}
interfaces {
fxp0 {
unit 0 {
family inet {
address 1.1.1.2/24;
}
}
}
}
}
}

```

In the exhibit, what is the function of the configuration statements?

- A.This section is where you define all chassis clustering configuration.
- B.This configuration is required for members of a chassis cluster to talk to each other.
- C.You can apply this configuration in the chassis cluster to make configuration easier.
- D.This section is where unique node configuration is applied.

Correct Answers: D

7: Which two statements describe the difference between JUNOS Software for security platforms and a traditional router? (Choose two.)

- A.JUNOS Software for security platforms supports NAT and PAT; a traditional router does not support NAT or PAT.
- B.JUNOS Software for security platforms does not forward traffic by default; a traditional router forwards traffic by default.
- C.JUNOS Software for security platforms uses session-based forwarding; a traditional router uses packet-based forwarding.
- D.JUNOS Software for security platforms performs route lookup for every packet; a traditional router performs route lookup only for the first packet.

Correct Answers: B C

8: A traditional router is better suited than a firewall device for which function?

- A.VPN establishment
- B.packet-based forwarding
- C.stateful packet processing
- D.Network Address Translation

Correct Answers: B

9: Which three functions are provided by JUNOS Software for security platforms? (Choose three.)

- A.VPN establishment
- B.stateful ARP lookups
- C.Dynamic ARP inspection

D.Network Address Translation

E.inspection of packets at higher levels (Layer 4 and above)

Correct Answers: A D E

10: What are two components of the JUNOS Software architecture? (Choose two.)

A.Linux kernel

B.routing protocol daemon

C.session-based forwarding module

D.separate routing and security planes

Correct Answers: B C