



Vendor: IBM

Exam Code: BAS-011

Exam Name: IBM SPSS Statistics Level 1 v2 Exam

Version: DEMO

QUESTION 1

If you use the IBM SPSS Statistics Select Cases dialog to conduct analysis on a subset of cases and you want to keep all cases in the same dataset, which option is appropriate?

- A. Copy unselected cases to a new dataset
- B. Copy selected cases to a new dataset
- C. Delete unselected cases
- D. Filter out unselected cases

Answer: D

QUESTION 2

Which interpretation is correct for this Regression Coefficients table?

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-624.687	1186.460		-.527	.599
	Employee Gender	-1629.252	264.350	-.249	-6.163	.000
	Minority Classification	-992.918	284.710	-.124	-3.487	.001
	Educational Level (years)	642.284	43.296	.589	14.835	.000
	Employee Age	35.871	17.265	.131	2.078	.038
	Work Experience (years)	22.695	23.602	.062	.962	.337
	Months on Job	-21.770	11.126	-.068	-1.957	.051

a. Dependent Variable: Beginning Salary

- A. For every additional year that you get older, your beginning salary decreases on average by \$13.
- B. For every additional year that you get older, your beginning salary decreases on average by \$35.9.
- C. For every additional year that you get older, your beginning salary increases on average by \$13.
- D. For every additional year that you get older, your beginning salary increases on average by \$35.9.

Answer: D

QUESTION 3

In order to access the New Custom Attribute feature in the Data Editor, the Data Editor must be viewed from the:

- A. Value Labels button.
- B. Dialog Recall button.
- C. Data View tab.
- D. Variable View tab.

Answer: D

QUESTION 4

What information is contained in the journal file?

- A. Information relating to the IBM SPSS Statistics data file you are working with
- B. Information relating to the IBM SPSS Statistics data file you are working with and any output created
- C. Syntax from all operations relating to manipulating variables
- D. Syntax from actions taken in dialog boxes or from running commands from the Syntax Editor

Answer: D

QUESTION 5

Which feature would you use to create a new variable whose values represent the number of times that each respondent answered Strongly Agree to a series of satisfaction questions?

- A. Compute Variable
- B. Visual Binning
- C. Count Values within Cases
- D. Rank Cases

Answer: C

QUESTION 6

Suppose you want to get help on the Cumulative Percent column in a FREQUENCIES table. Using the figure below, how would you do it?

HAPPINESS OF MARRIAGE

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	VERY HAPPY	528	32.9	61.9	61.9
	PRETTY HAPPY	300	18.7	35.2	97.1
	NOT TOO HAPPY	25	1.6	2.9	100.0
	Total	853	53.1	100.0	
Missing	REFUSED TO ANSWER	8	.5		
	System	744	46.4		
	Total	752	46.9		
Total		1605	100.0		

- A. Go to Help ... Topics and search for Cumulative Percent.
- B. Go to Help ... Command Syntax Reference and search for Cumulative Percent.
- C. Go to Help ... About.
- D. Double-click the table, right-click Cumulative Percent and select What's this? from the pop-up menu.

Answer: D