



**Vendor:** IBM

**Exam Code:** 000-596

**Exam Name:** IBM Security Access Manager for Enterprise  
Single Sign-On V8.2 Implementation Exam

**Version:** DEMO

**QUESTION 1**

When making a backup of the IMS Server, which tool will back up this information? JDBC settings  
All IMS Server keys and certificates IBM WebSphere Application Server root CA key

- A. Export IMS Configuration Tool
- B. IHS WebAdmin Configuration Tool
- C. IBM DB2 ControlCenter Backup imsdbs Tool
- D. IBM WebSphere manage profiles -backupprofile Tool

**Answer: A**

**QUESTION 2**

How is the AccessAgent log level increased?

- A. Modify the setuphlp.ini file
- B. Set the log detail in the AccessAgent wallet manager to High
- C. Increase the log level detail in IBM WebSphere Application Server
- D. Increase the value of HKEY\_LOCAL\_MACHINE\SOFTWARE\IBM\ISAM ESSO\DeploymentOptions\Loglevel

**Answer: D**

**QUESTION 3**

In which case is setting the policy priority useful?

- A. When a policy is defined for two scopes
- B. When the AccessAgent version is lower than V8.0
- C. When a Helpdesk officer needs to override the system policy set by an administrator
- D. When a user needs to view policy information that can only be accessed by an administrator

**Answer: A**

**QUESTION 4**

The MS Server is configured to use Active Directory as the enterprise directory and password sync is enabled. What is required in order to sign up from a workstation with AccessAgent?

- A. The IMS Server is on the domain
- B. The workstations on the domain
- C. The user has administrator privileges on the workstation
- D. The user has logged onto the workstation at least one time before the AccessAgent was installed

**Answer: B**

**QUESTION 5**

Which strong authentication mechanism requires IBM Security Access Manager for Enterprise Single Sign-On to be deployed in a stand alone or cluster installation of the IMS Server?

- A. Smart Card
- B. Active REID
- C. VascoOTP

D. Hybrid Smart Card

**Answer: C**

#### **QUESTION 6**

What is part of the default behavior when switching users on a shared desktop in IBM Security Access Manager for Enterprise Single Sign-On V8.2 (ISAM ESSO)?

- A. When switching from User A to User B, User B logs in via the Windows GINA.
- B. After switching from User A to User B, all previously open applications are closed.
- C. After switching from User A to User B, any application left open by User A remains open for User
- D. When switching from User A to User B, User B logs in via the ESSO GINA (XP) or ESSO credential provider (Windows 7 and Vista).

**Answer: C**

#### **QUESTION 7**

The customer wants a system that provides an individual workstation session running in a shared workstation system in order to protect data loss in the individual session for the users. Which session management policy should be used to meet this requirement?

- A. Private Desktop Policy
- B. Shared Desktop Policy
- C. Personal Desktop Policy
- D. Authentication Service Policy

**Answer: A**

#### **QUESTION 8**

What does the deployment option SystemSyncToleranceSecs control?

- A. It is the synchronization timestamp for uploading AccessProfiles to the IMS Server.
- B. It is the threshold for the AccessAgent to download the system data from the IMS Server.
- C. It indicates the threshold for synchronizing the IMS system time to the Network Time Protocol.
- D. It determines how far out of sync the IMS Server can be from the Active Directory domain controller before IBM Security Access Manager Enterprise Single Sign-On V8.2 operations fail.

**Answer: B**

#### **QUESTION 9**

For improving the IMS Server and AccessAgent performance, what should the transaction isolation level be set to for the IMS Server Oracle data source at the IBM WebSphere Application Server?

- A. Cursor Stability
- B. Read-Committed
- C. Read Uncommitted
- D. Repeatable Unreads

**Answer: B**

**QUESTION 10**

Which statement is true regarding Serial ID Service Provider Interface (SPI) API?

- A. SPI specifies a set of functions to enable biometric support.
- B. SPI specifies a set of functions to enable Mobile ActiveCode.
- C. SPI is a programmatic interface intended for integrating AccessAgent with third-party' Serial ID devices used for two factor authentication.
- D. SPI must be installed on every node in an IBM WebSphere Application Server cluster in order to enable second factor authentication support.

**Answer: C**

**QUESTION 11**

Which JRE version is required for installing and configuring the Provisioning Agent?

- A. JPE V1.5.0 only
- B. JPEV 1.4.0 only
- C. JREV 1.4.0 or later
- D. JRE V1.5.0 or later

**Answer: D**

**QUESTION 12**

How is the IMS Configuration Utility accessed?

- A. Using a Web browser
- B. Using a telnet session
- C. Using the Java application
- D. Launched from the Start menu

**Answer: A**