

Vendor: IBM

**Exam Code:** 000-622

Exam Name: System z Business Resiliency Solution Selling

Version: DEMO

### **QUESTION 1**

A System z Enterprise Linux Server customer needs a solution of 6 IFLs and 300GB usable memory to deploy multiple Linux guests. Which of the following models can support the requirement while maintaining the highest availability?

- A. z114 M10
- B. z114 M05
- C. zBC12 H13
- D. zBCl2 H06

Answer: C

# **QUESTION 2**

Which of the following zEnterprise features learns the unique system characteristics of a customer's environment, and helps to detect and diagnose unusual behavior?

- A. IBM zAware
- B. Flash Express
- C. zEnterprise Data Compression (zEDC)
- D. RDMA over Converged Ethernet (RoCE)

Answer: A

### **QUESTION 3**

A customer runs 8-day-long disaster recovery tests at a remote data center, using disk and a CEO with minimal processing capacity. Which of the following is the most cost-effective method to provide enough processing capacity for testing purposes?

- A. Capacity Backup (CBU)
- B. Customer Initiated Upgrade (CIU)
- C. Capacity for Planned Events (OPE)
- D. On/Off Capacity on Demand (OOCoD)

Answer: A

### **QUESTION 4**

A customer is considering Linux on System z as a target platform for their server consolidation initiatives. Which of the following actions will provide financial modeling for the solution?

- A. Initiate a RAOEv study
- B. Perform a CR3000 study
- C. Run eConfig for the z pricing team
- D. Engage Techline for an SOON study

Answer: A

## **QUESTION 5**

A customer has production and backup data centers with equipment installed to support both mainframe and distributed systems. Considering projected growth, the customer will not be able

to have enough electrical power at the backup data center. Which is the most cost effective action?

- A. Relocate the backup data center.
- B. Install auxiliary electrical generators.
- C. Request a server consolidation study.
- D. Install more energy efficient equipment.

Answer: C

### **QUESTION 6**

What type of coupling links are required to support distances greater than 10 KM?

- A. ICM3
- B. ICB4
- C. PSIFB LR 1x
- D. PSIFB SR 12X

Answer: C

### **QUESTION 7**

A System z representative is meeting with a customer to determine their disaster recovery readiness. The customer says they use a Tier 1 solution with PTAM and no hot-site. What solution is the customer currently using?

- A. FTP
- B. TAPE
- C. GDPS
- D. Hyper swap

Answer: B

### **QUESTION 8**

Governmental regulation compliance can have a direct impact on which of the following?

- A. Batch workload windows
- B. System securely and audits
- C. Online transaction volumes
- D. Operational procedures and efficiencies

Answer: B