

**Exam Code:** HP0-Y16

**Exam Name:** ProCurve Network Immunity Solutions

**Vendor:** HP

**Version:** DEMO

## Part: A

1: Which alert can be triggered by SNMP traps sent by ProCurve switches?

- A.default External
- B.default IP Fanout
- C.default IP Spoofing
- D.default Virus Throttle
- E.default ProCurve SNMP

**Correct Answers: D**

2: How do you configure PCM+ to generate periodic reports?

- A.Select the Reports button in the global toolbar.
- B.Enable the periodic reports setting in PCM+ Preferences.
- C.Configure the schedule in the appropriate Reports Wizard.
- D.Create policies with schedule-driven alerts and report actions.

**Correct Answers: D**

3: What is a reason to create a custom group for a server zone and set that group as the source for a NIM policy?

- A.Servers handle more mission-critical traffic, so you set less drastic actions.
- B.Servers trigger more false positives, so you set the NBAD sensitivities lower.
- C.Threats are targeted to servers at all times, so you set the policy to any time.
- D.Threats that are targeted to servers are more serious, so you set harsher actions.

**Correct Answers: A**

4: Which misconfiguration on PCM+ causes ProCurve NIM to fail to detect any anomalies in traffic?

- A.the wrong sFlow version
- B.an incorrect operator password
- C.an incorrect manager password
- D.an incorrect SNMP community name

**Correct Answers: D**

5: What should you do to set up your network infrastructure for remote mirroring?

- A.Enable jumbo frames.
- B.Enable frame fragmentation.
- C.Raise the maximum transmit unit (MTU).
- D.Reserve uplink ports for the mirroring session.

**Correct Answers: A**

6: What is the intended purpose of the default traffic sampling action of ProCurve NIM?

- A.to prevent ProCurve NIM from triggering false positives
- B.to help PCM+/NIM periodically begin to monitor new ports
- C.to send traffic for increased analysis to an Intrusion Detection System (IDS)

D.to allow ProCurve NIM to take immediate action against the most probable threats

**Correct Answers: B**

7: You want to display and print a list of all events related to the Policy Manager. What should you do?

A.From the Reports menu, select the Policy Events report.

B.In Interconnect Devices, click the Events tab; filter for Policy Manager; click the Print button.

C.From the Reports menu, select the Events report; filter for Policy Manager in the Report Wizard.

D.In Network Management Home, click the Events tab; filter for Policy Manager; click the Print button.

**Correct Answers: D**

8: Your company's regulatory compliance group has asked you for a record of changes to the Policy Manager policies. Which report should you generate?

A.Security Audit

B.Actions by Policy

C.Executed Policies

D.Automation (Policy) History

**Correct Answers: C**

9: Which features are provided in a ProCurve NIM standalone deployment? (Select two.)

A.threat mitigation without the aid of PCM+

B.resetting of TCP sessions when threats are detected

C.signature-based detection of worms and other attacks

D.applying mitigation actions near the source of the threat

E.application of different policies based on the threat's place of origin

**Correct Answers: D E**

10: Which action can help you troubleshoot a policy in realtime from PCM?

A.Port Mirror

B.Notify (Email)

C.Message Dialog

D.Traffic Sampling

**Correct Answers: C**