



Vendor: IBM

Exam Code: C4040-121

Exam Name: Virtualization Technical Support for IBM i - v1

Version: DEMO

QUESTION 1

What are two methods to determine the partition to which virtual disks are assigned?

- A. In VIO Server, use lspv-AvI
In the HMC command line, use lsdev-p
- B. In VIO Server, use lsdev-v command
In IBM i, use WRKCFRGSTS *DEV* VRT
- C. In VIO Server, use the lsctg -vl command
In IBM i, use the WRKHWDRSC *STG command
- D. In VIO Server, use the lsmap command
In the HMC GUI use Virtual Resources/Virtual Storage Management

Answer: D

QUESTION 2

The DSPFMWSTS on an IBM i 7.1 partition appears as shown:

```
itech07.ws
File Edit View Communication Actions Window Help
Display Firmware Status
Service partition . . . . . : No
Firmware update policy . . . . . : *HMC
Server IPL source . . . . . : Temporary
Firmware product ID/release . . . . . : 5733907 V1R1M0

---Server firmware---
Copy    Fix pack    PTF ID
*ACTIVE AL730_087    MH01310
*TEMP   AL730_087    MH01310
*PERM   AL730_066    MH01299

Bottom
Press Enter to continue
F3=Exit F5=Refresh F12=Cancel
Mn A MW 01/001
I902 - Session successfully started
```

As part of troubleshooting, IBM support asks that level AL730_087 be deactivated.
How is that accomplished?

- A. Run command DLTPTF PTF(MH01310) RMV(*TEMP)
- B. Run command RMVPTF LICPGM(5770SS1) SELECT(MH01310) DELAYED(*YES), then restart the partition
- C. Stop all partitions
Change the managed system to start in "P" mode
Restart the managed system
From the HMC, select Updates
- D. On the resulting screen, select the managed system
Under Tasks select Change Licensed Internal Code for Current Release In the wizard select Deactivate

Temporary Level

Answer: C

QUESTION 3

A client IBM i partition running 6.1 is being upgraded to 7.1 using an image catalog on an IBM i 6.1 partition. The image catalog is loaded into a virtual optical device and made available to the client partition using a Network Server Description and virtual SCSI adapters. Which statement is correct?

- A. The next volumes will have to be mounted manually, one by one.
- B. The virtual optical device performs as a library in IBM i 6.1.
- C. The device will show on the client with the same name as on the host.
- D. The virtual optical device should be specified in the NWSD before it can be seen by the client partition.

Answer: A

QUESTION 4

Auditors have reviewed access to the HMC and determined that many users have too much authority on the HMC. What is the correct method to restrict users to only a specific set of resources?

- A. Change the users' task role to hmcoperator.
- B. Create and assign a new task role that allows only the required set of tasks.
- C. In Manage Users and Tasks, select each resource that is required for this user.
- D. Create and assign a new resource role that allows access to only the required resources.

Answer: D

QUESTION 5

A client plans to add a Power 770 server to a POWEP6 environment. What resource can the administrator use to determine if the HMC is at the correct level to support the new server firmware?

- A. ASMI
- B. HMC Service Agent
- C. Power Code Matrix
- D. System Planning Tool

Answer: C

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: STNAR2014