



**Vendor:** HP

**Exam Code:** HP0-787

**Exam Name:** NonStop Advanced Application Development

**Version:** DEMO

**QUESTION 1**

What do you use to list procedure names in a TNS object file?

- A. NLD
- B. NOFT
- C. AR
- D. BIND

**Answer: D**

**QUESTION 2**

A JVM must be started with \_\_\_\_\_ to enable jdb debugging support.

- A. -Xdebug
- B. -jdb
- C. -Inspect
- D. -Debug

**Answer: A**

**QUESTION 3**

Where can breakpoints be set in jdb? Select TWO.

- A. at the first instruction of a method
- B. at a verb
- C. at a data object
- D. at a line number
- E. at a statement

**Answer: AD**

**QUESTION 4**

The compiler option SYNTAX or WSYNTAX \_\_\_\_\_.

- A. creates an executable object file
- B. suppresses errors
- C. inserts the source in the object
- D. checks the source for errors

**Answer: D**

**QUESTION 5**

What is a valid INSPECT command for debugging SCREEN COBOL?

- A. BREAK
- B. STEP IN
- C. STOP
- D. SAVE

**Answer: A**

**QUESTION 6**

To RESTORE a partitioned SQL table to a different destination, which option is required?

- A. PHYSVOL
- B. REBUILD
- C. MAP NAMES
- D. VOL

**Answer: C**

**QUESTION 7**

What are two advantages specific to a DLL (Dynamic Link Library)? Select TWO.

- A. It contains Position Independent Code (PIC).
- B. It is loaded during cold load.
- C. It is composed of shared code.
- D. It can have private data.
- E. It can be unloaded from a process.

**Answer: AE**

**QUESTION 8**

What can user libraries be used for? Select TWO.

- A. to provide source code for compilation
- B. to share common compiled procedures
- C. to override an operating system procedure
- D. to provide an alternate main procedure/program
- E. to switch from native to non-native mode

**Answer: BC**

**QUESTION 9**

The file EXTDECS, CEXTDECS, or COBOLEXT contains the procedure declarations for which routines?

- A. user library routines
- B. system library routines
- C. third-party library routines
- D. SQL routines

**Answer: B**

**QUESTION 10**

The purpose of the CTOEDIT utility is to \_\_\_\_\_ .

- A. convert unstructured files to structured files
- B. convert C application code written on the PC to a Guardian edit file
- C. convert OSS text files to Guardian text files
- D. generate OSS code to be used in Guardian

**Answer: C**

**QUESTION 11**

What provides the execution control services needed to debug SCREEN COBOL programs?

- A. DMON
- B. CMON
- C. TCP
- D. IMON

**Answer: C**

**QUESTION 12**

Repeated failures and reloads of the processors in a system allow a developer to set up a failure cycle to test an application for fault tolerance. Which program can be used in conjunction with DIVER to cause repeated failures?

- A. CYCLE
- B. TESTFAIL
- C. WAIT
- D. DELAY

**Answer: D**

**QUESTION 13**

Where are EMS messages written?

- A. DISKFILE
- B. EMSCOLL
- C. EMSDIST
- D. \$RECEIVE

**Answer: B**

**QUESTION 14**

During process startup, how is DEFINE information passed to the process?

- A. The child process programmatically receives the DEFINE information using the function getenv().
- B. The child process receives DEFINE system messages from the parent process as part of the startup sequence.
- C. DEFINE information can be retrieved by the child process by using the DEFINEINFO procedure call.
- D. By default the parent process propagates the DEFINE information in its current context to the

child process using the Process File Segment.

**Answer: D**

**QUESTION 15**

A specification proposes implementing a new server class as an OSS process. Which statements are true regarding OSS server classes? Select THREE.

- A. The program must use named-pipes instead of \$RECEIVE.
- B. The processes are limited to a configuration of MAXLINKS = 1.
- C. The program can use DEFINES for configuring file names.
- D. Runtime values in the processes cannot be initialized using PARAM attributes.
- E. The program can access Enscribe and SQL/MP data in addition to SQL/MX data.

**Answer: CDE**

**QUESTION 16**

To RDF-replicate a programmatically created Enscribe file, which option must be enabled by the program at file creation time?

- A. AUDITCOMPRESS
- B. AUDIT
- C. ALLOCATE
- D. ALTCREATE

**Answer: B**

**QUESTION 17**

Why is an application log file most likely to be used outside of the current transaction?

- A. to avoid impact on the transaction response time
- B. to retain records after a transaction backout
- C. because file system locks are meaningless on a sequentially written file
- D. because integrity with transaction data is not required

**Answer: B**

**QUESTION 18**

Threads in a NonStop multithreaded process are \_\_\_\_\_.

- A. preemptive
- B. self-defined
- C. system-defined
- D. never preemptive

**Answer: D**

## Thank You for Trying Our Product

### PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



**10% Discount Coupon Code: STNAR2014**