

Vendor: Network Appliance

Exam Code: NS0-506

Exam Name: NetApp Certified Implementation Engineer -

SAN, Clustered Data ONTAP

Version: DEMO

QUESTION 1

You are verifying multipathing from the host to the storage controller.


Which three components should you verify? (Choose three.)

- A. Verify that all switch ports connected to the hosts and storage devices are online using the vendor's GUI.
- B. Verify that both FC HBA ports in the host are online using the HBA vendor's GUI.
- C. Verify that the FC HBAs WWNN's are in the igroup in the SVM.
- D. Verify that the SVM's LIFs being used for multipathing are attached to the correct same physical FC port.
- E. Verify that the storage controller FC target ports status are online with the switch port showing the FC switch to which they are connected.

Answer: ADE

QUESTION 2

Click the Exhibit button. Referring to the exhibit, which entry is appropriate to add to a zone on the FC switch?



- A. 20:05:00:a0:98:29:18:76
- B. 20:10:00:a0:98:29:18:76
- C. 20:14:00:a0:98:29:18:76
- D. 50:10:00:a0:98:29:18:76

Answer: A

QUESTION 3

A customer has recently deployed a clustered Data ONTAP 8.3 system and is trying to mount LUNs to a Windows 2012 Server using the iSCSI protocol. They have enabled jumbo frames on their nodes as well as their Windows 2012 Server. Whenever they attempt to scan for a new LUNs, Disk Management times out and does not present any new storage. What is causing the problem?

- A. Windows 2012 does not support jumbo frames with the iSCSI protocol.
- B. Clustered Data ONTAP 8.3 does not support the iSCSI protocol.

- C. They have jumbo frames enabled on the host and storage, but not the Ethernet switches.
- D. Clustered Data ONTAP 8.3 does not support jumbo frames with the iSCSI protocol.

Answer: C

QUESTION 4

You have a new FAS8080EX 2-node cluster.

The FC switch ports connected to the onboard UTA2 ports will not come online.

Which two node-based issues would case the problem? (Choose two.)

- A. The UTA2 ports are set to target.
- B. The UTA2 ports have 10 GB SFP+ optics installed.
- C. The UTA2 ports have 16 GB SFP+ optics installed.
- D. The UTA2 ports are in cna mode.

Answer: AD

QUESTION 5

A company has 50 ESXi hosts connected using FC to a single target port on a NetApp cluster. Ten hosts are configured with an HBA queue depth on 128. Forty hosts are configured with a HBA queue depth of 32. They are experiencing performance problems with their FC LUNs. Which two actions will resolve the problem? (Choose two.)

- A. Use VSC to set recommended values for the hosts.
- B. Reduce the HBA queue depth on the on the applicable HBAs.
- C. Add additional target ports to allow for greater initiator distribution.
- D. Increase the total queue depth on the NetApp cluster.

Answer: AC

QUESTION 6

You are planning to move to a newer clustered Data ONTAP version. Which two resources should you review prior to the move? (Choose two.)

- A. Software Setup Guide
- B. IMT
- C. Upgrade Advisor
- D. System Administration Guide for Cluster Administrators

Answer: BC Explanation:

https://library.netapp.com/ecmdocs/ECMP1368868/html/GUID-9194A9CF-F7F8-48B5-82B0-

D494D3D64105.html

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.passleader.com/all-products.html

























10% Discount Coupon Code: STNAR2014