



**Vendor:** Cisco

**Exam Code:** 200-150

**Exam Name:** Introducing Cisco Data Center Networking -  
DCICN

**Version:** DEMO

#### QUESTION 1

A network engineer is verifying Layer 2 connectivity of a server to a Cisco Nexus switch by checking the Address Resolution table statistics. Which command shows the MAC address, physical interface, VLAN and IP address of a server on a Cisco Nexus switch?

- A. show ip arp interface
- B. show ip arp
- C. show ip arp detail
- D. show arp detail

**Answer: C**

#### QUESTION 2

Which address type is used in IPv4 but is not used in IPv6?

- A. multicast
- B. broadcast
- C. anycast
- D. unicast

**Answer: B**

#### QUESTION 3

A network uses on pair of Layer 3 switches for core and distribution purposes. Which design is this network using?

- A. collapsed core
- B. collapsed distribution
- C. collapsed Layer 3 core
- D. collapsed Layer 2-3

**Answer: A**

#### QUESTION 4

What is the minimum number of disks that are needed in RAID 1?

- A. 4 disks
- B. 2 disks
- C. 8 disks
- D. 16 disks

**Answer: A**

#### QUESTION 5

What is the minimum number of fabric modules that should be installed in the Cisco Ne\*js 7000 chassis for N 1 redundancy using Ml-Series line card?

- A. 3
- B. 4

- C. 5
- D. 6

**Answer: A**

#### QUESTION 6

Which address and subnet combination is valid for a host assignment?

- A. 172.23.175.210/15
- B. 10.100.74.127/25
- C. 192.168.73.223/29
- D. 10.230.33.15/28

**Answer: C**

#### QUESTION 7

Refer to the exhibit. What two conclusions can be made based upon the output? (Choose two.)

INTERFACE	VSAN	FCID	PORT NAME	NODE NAME
fc7/1	1	0xb200e2	21:00:00:04:cf:27:4b:2c	20:00:00:04:cf:27:4b:2c
fc7/1	1	0xb200e1	21:00:00:04:cf:4c:18:01	20:00:00:04:cf:4c:18:01
fc7/1	1	0xb200d1	21:00:00:04:cf:4c:18:64	20:00:00:04:cf:4c:18:64
fc7/1	1	0xb200ce	21:00:00:04:cf:4c:16:aa	20:00:00:04:cf:4c:16:aa
fc7/1	1	0xb200cd	21:00:00:04:cf:4c:18:ab	20:00:00:04:cf:4c:18:ab

- A. regular format WWNs are being used
- B. the command show flogi database was run
- C. the command show fcns database vsan 1 was run
- D. registered name format WWNs are being used
- E. extended format WWNs are being used.

**Answer: BD**

#### QUESTION 8

A customer requires two separate physical pathways between multiple initiators and multiple targets. Which technology meets this requirement on a single Cisco MDS9148 switch?

- A. zoning
- B. port security
- C. LUN masking
- D. VSANs

**Answer: D**

## Thank You for Trying Our Product

### PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



**10% Discount Coupon Code: STNAR2014**