

Vendor: HP

Exam Code: HP0-066

Exam Name: Integrated Lights-Out

Version: DEMO

QUESTION 1

What happens when iLO loses its connection to the directory server?

- A. It immediately sends an alert to the HP SIM server.
- B. It terminates the connection and returns you to the Login screen.
- C. It disables the Enable Directory Authentication option and forces you to use the local accounts.
- It displays the Directory Server unavailable message and tries to reconnect at 90-second intervals.

Answer: B

QUESTION 2

What does the sequential flashing pattern of the iLO 2 LEDs 1-8 indicate?

- A. iLO 2 runtime failure
- B. iLO 2 hardware failure
- C. iLO 2 normal operation
- D. iLO 2 in flash recovery mode

Answer: D

QUESTION 3

When activating the iLO Virtual Media applet, the Virtual Media window displays a red X or a gray blank screen. Why?

- A. The iLO Advanced Pack license is not activated.
- B. The Virtual Media feature is disabled in the iLO Global Settings tab.
- C. The iLO did not detect any supported floppy or CD-ROM drives in the server.
- D. An incorrect version of or no Java Virtual Machine (JVM) is installed on the client.

Answer: D

QUESTION 4

After removal of the iLO Diagnostic Port cable on a server blade, you immediately attempt to connect to the same iLO through the iLO management port in the rear of the server blade enclosure. The connection fails. Why?

- A. You must reset the iLO to enable the rear iLO management port.
- B. You must re-enable the rear iLO management port before disconnecting from the iLO Diagnostic Port.
- C. You must allow at least one minute for the network switchover between the iLO Diagnostic Port and the rear iLO management port.
- You must log out and terminate your browser session before disconnecting from the iLO Diagnostic Port.

Answer: C

QUESTION 5

Which alert will the iLO 2 generate when it detects that a server blade was manually forced by the

customer to power on despite the BL p-Class infrastructure reporting insufficient power?

- A. Rack Server Power On Failed
- B. Rack Server Power On Forced
- C. Rack Server Power Oversubscribed
- D. Rack Server Power On Manual Override

Answer: D

QUESTION 6

When does iLO request its IP address from the DHCP server, provided this option is enabled?

- A. after the server completes its POST
- B. after power is first applied to the iLO
- C. after the operating system successfully boots
- D. after the iLO ROM-Based Setup Utility prompt displayed during server POST disappears

Answer: B

QUESTION 7

Which alert will the iLO 2 generate when it detects that a server blade was unable to power on because the BL p-Class infrastructure indicated that insufficient power was available to power on the server blade?

- A. Rack Server Power On Failed
- B. Rack Server Power On Halted
- C. Rack Server Power On Delayed
- D. Rack Server Power Oversubscribed

Answer: A

QUESTION 8

You have requested, obtained, and imported into iLO a certificate from a trusted Certificate Authority (CA). However, your login into iLO using the two-factor Smart Card authentication fails. Why?

- A. The Directory Services server cannot be contacted.
- B. The certificate is not mapped to a local user account.
- C. The Enable Directory Authentication option is turned off.
- D. The certificate was invalidated when the iLO was reset.

Answer: B

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.passleader.com/all-products.html

























10% Discount Coupon Code: STNAR2014