



Vendor: HP

Exam Code: HP0-Y35

Exam Name: Wireless Networks ASE 2011 Delta Exam

Version: DEMO

QUESTION 1

How can a tagged packet be processed for QoS when it is received on an inbound interface? (Select three.)

- A. The marked priority level can be changed to enforce predetermined classification levels.
- B. The packet can be scheduled for a queue based on the marked 802.1p priority level.
- C. The packet can be moved to a more secure VLAN and its priority remarked.
- D. The packet can be scheduled for a queue based on a preset policy.
- E. The packet can be discarded or rerouted if it does not match a set policy.
- F. The packet can be prevented switch traversal for a predetermined penalty period.

Answer: ABD

QUESTION 2

What are Virtual Connect Enterprise Manager features? (Select three.)

- A. is licensed per enclosure
- B. is licensed with the Virtual Connect Ethernet module
- C. is embedded on the Virtual Connect Ethernet module
- D. can administer up to 256,000 network addresses
- E. can manage a single domain of up to four enclosures
- F. can administer up to 16,000 servers

Answer: ADF

QUESTION 3

Which is a unique feature of a virtual switch?

- A. port mirroring for packet analysis
- B. VLAN segmentation at the port level
- C. no packet forwarding (routing) between VLANs
- D. maximum of 1016 ports per switch

Answer: D

QUESTION 4

What is considered a Virtual Connect domain in Virtual Connect Enterprise Manager?

- A. a maximum of 1,000 enclosures
- B. a maximum of 16,000 servers
- C. from 1 to 4 enclosures
- D. 250 Virtual Connect Manager domains

Answer: C

QUESTION 5

Which industry-standard protocols are supported on Virtual Connect Ethernet uplinks? (Select three.)

- A. IEEE 802.1 AX (802.3ad) Link Layer Discovery Protocol (LLDP)
- B. IEEE 802.1w-2001 Rapid Spanning Tree (RSTP)
- C. IEEE 802.1p Quality of Service (QoS)
- D. IEEE 802.1 AX (802.3ad) Link Aggregation Protocol
- E. IEEE 802.1Q VLAN tagging
- F. IEEE 802.3af-2003 Power over Ethernet (PoE)

Answer: ADE

QUESTION 6

Which tasks are used to define a vNet for Virtual Connect Ethernet? (Select three.)

- A. Assign only one network per server NIC.
- B. Assign one or multiple networks per server NIC.
- C. Optionally set the native VLAN.
- D. Define the server profile.
- E. Specify VLAN names/IDs.
- F. Select unassigned uplinks.

Answer: ADF

QUESTION 7

Which spanning tree protocol is the most appropriate in a VLAN-aware, non-proprietary network implementation?

- A. RSTP
- B. PVST+
- C. MSTP
- D. STP

Answer: C

QUESTION 8

The IEEE 802.1AX (802.3ad) Link Aggregation Control Protocol is a Layer 2 protocol. What is its function?

- A. dynamically identifies link speeds regardless of media type
- B. forms port trunks consisting of two or more uplink ports
- C. identifies the VLAN to which frames transmitted on a link or port trunk belong
- D. advertises information that describes and identifies devices

Answer: B

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: STNAR2014