

**Exam Code:** NS0-120

**Exam Name:** Network Appliance Data ONTAP Advanced

Exam 6.5

**Vendor:** Network Appliance

**Version:** DEMO

## Part: A

1: Which of the following commands adds the share "netapp" to the /vol/vol2/home directory?

- A.cifs shares dd netapp /vol/vol2/home cifs shares ?dd netapp /vol/vol2/home
- B.cifs shares dd /vol/vol2/home/netapp cifs shares ?dd /vol/vol2/home/netapp
- C.cifs shares dd netapp /vol/vol2 cifs shares ?dd netapp /vol/vol2
- D.None of the above

**Correct Answers: A**

2: Which of the following definitions best represents the function of the cifs setup command?

- A.Displays the mount point of all shared directories
- B.Displays the names of all mounted directories on the storage appliance
- C.Displays the prompts for CIFS configuration information
- D.Displays a list of the users on the storage appliance

**Correct Answers: C**

3: Which one of the following commands is NOT a good command for troubleshooting connectivity problems from the storage appliance console?

- A.ping
- B.ifstat
- C.netdiag
- D.iostat

**Correct Answers: D**

4: If an NFS client attempts and fails to access a file opened by a CIFS application, which of the following commands would you use to view the connection?

- A.cifs audit
- B.cifs sessions
- C.cifs shares
- D.cifs lookup

**Correct Answers: B**

5: Which one of the following commands best displays the statistics for the network interface?

- A.netstat
- B.ifconfig
- C.sysstat
- D.ifstat

**Correct Answers: D**

6: Which option should be used with the nfsstat command to assist in decoding export and mountd errors?

- A.nfsstat -d
- B.nfsstat -z
- C.nfsstat -c

D.nfsstat -t

**Correct Answers: A**

7: Which one of the following commands would you use to set up the network interface?

A.ifstat

B.ping

C.ifconfig

D.traceroute

**Correct Answers: C**

8: If a qtree security style is UNIX, CIFS client file access is determined by \_\_\_\_\_ .

A.NT ACLs

B.UNIX permissions, and if the CIFS user name can be mapped to a UNIX user name

C.The last client to set permissions

D.(Not Allowed) A CIFS client cannot access files in a qtree with a security style of UNIX.

**Correct Answers: B**

9: If the client is a CIFS client, locks are \_\_\_\_\_ .

A.Advisory

B.Mandatory

C.Ordered

D.Optional

**Correct Answers: B**

10: Which option of the exportfs command will temporarily export a resource while ignoring the options specified in the /etc/exports file?

A.exportfs exportfs ?

B.exportfs -i

**Correct Answers: B**

11: Which of the following statements would NOT apply to an entry in the /etc/exports file regarding exporting directories, qtrees, and volumes?

A.Export each volume separately.

B.The storage appliance must resolve host names.

C.Export ancestors and their descendants.

D.Export /vol.

**Correct Answers: D**

12: Which one of the following is NOT part of the UNIX security style?

A.GID

B.Other

C.SID

D.UID

**Correct Answers: C**

13: NTFS allows file access based on \_\_\_\_\_.

A.NT ACLs and UNIX permissions

B.SID and password

C.NT ACLs and SID

D.UNIX permissions

**Correct Answers: C**

14: If you are receiving RPC timeouts, the following troubleshooting steps would be appropriate:

1) Verify that the RPC is enabled.

2) Verify that the NFS daemons are running.

3) Verify that the correct mount points have been created.

A.T

B.F

**Correct Answers:**

15: Which TWO of the following are Data ONTAP commands for gathering performance information?

A.sio\_ntap\_soll

B.sysstat

C.perfstat

D.nfsstat

**Correct Answers: B D**