



**Vendor:** Oracle

**Exam Code:** 1Z0-897

**Exam Name:** Java EE 6 Web Services Developer Certified  
Expert Exam

**Version:** DEMO

#### QUESTION 1

Which of the following WS-Security token profiles is not supported in Metro?

- A. X509 Token Profile
- B. Kerberos Token Profile
- C. SAML Token Profile
- D. SOAP with Attachments (SWA) profile
- E. Right Expression Language (REL) Token Profile

**Answer: E**

#### QUESTION 2

Which security technologies are not included in WS-Security?

- A. encryption
- B. handshake for credential exchange and session establishment
- C. security tokens
- D. digital signatures

**Answer: B**

#### QUESTION 3

An automobile manufacturer publishes a Web service for use by their suppliers. The manufacturer has stringent security requirements that require suppliers to verify their identity. Data integrity and confidentiality must be maintained between the client and the server. Which two technologies can be used to meet the requirements? (Choose two)

- A. XACML and XKMS
- B. SSL with mutual authentication
- C. Message level security with WS-Security
- D. Private network and XML Signature

**Answer: BC**

#### QUESTION 4

In designing the security for your enterprise application with multiple Web services, you don't want that each of the services handle user authentication by itself. Then which of the following you can use in your design?

- A. enable secure conversation for each service
- B. a centralized Policy Decision Point (PDP) via XACML
- C. a Security Token Service (STS)
- D. use transport level security with SSL

**Answer: C**

### QUESTION 5

A developer wants to use WebServiceContext in the web service endpoint. Which of the following is the correct way to get WebServiceContext object ? (Choose one)

- A. 

```
@WebService
public class MyService {
    @WebServiceContext
    WebServiceContext ctxt;
    public String echo(String str) {
        ...
    }
}
```
- B. 

```
@WebService
public class MyService {
    WebServiceContext ctxt;
    public String echo(String str) {
        ctxt = jndi.lookup("java:com/env/WebServiceContext");
    }
}
```
- C. 

```
@WebService
public class MyService {
    @Inject
    WebServiceContext ctxt;
    public String echo(String str) {
        ...
    }
}
```
- D. 

```
@WebService
public class MyService {
    @Resource
    WebServiceContext ctxt;
    public String echo(String str) {
        ...
    }
}
```

**Answer: D**

### QUESTION 6

In which order do LogicalHandlers and SOAPHandlers configured on a Web Service endpoint execute on an incoming message ? (Choose one)

- A. SOAPHandlers in the order specified in configuration are executed first and later the LogicalHandlers specified in the order get executed
- B. LogicalHandlers in the order specified in configuration are executed first and later the SOAPHandlers specified in the order get executed
- C. All the handlers are executed in the order specified in the configuration
- D. All the handlers are executed in the reverse order specified in the configuration.

**Answer: A**

### QUESTION 7

If you are developing a Web Service starting from WSDL 1.1, how would you declare in wsdl that the Web Service requires the use of Addressing in a standard and interoperable way.

- A. Declare a policy as  

```
<wsp:Policy>
<wsam:Addressing wsp:Optional="true">
```

```
<wsp:Policy/>
</wsam:Addressing>
</wsp:Policy>
```

and attach it the corresponding wsdl:portType so that it applies to all the wsdl:operations in its scope.

- B. Declare a policy as

```
<wsp:Policy>
<wsam:Addressing wsp:Optional="true">
<wsp:Policy/>
</wsam:Addressing>
</wsp:Policy>
```

and attach it the corresponding wsdl:binding so that it applies to all the wsdl:operations in its scope.

- C. Declare a policy as

```
<wsp:Policy>
<wsam:Addressing>
<wsp:Policy/>
</wsam:Addressing>
</wsp:Policy>
```

and attach it the corresponding wsdl:binding so that it applies to all the wsdl:operations in its scope.

- D. Declare a policy as

```
<wsp:Policy>
<wsam:Addressing>
<wsp:Policy/>
</wsam:Addressing>
</wsp:Policy>
```

and attach it the corresponding wsdl:service so that it applies to all the wsdl:ports in the service scope.

**Answer: C**

### QUESTION 8

In the following situation, Client C sends a SOAP request to Service S and the response is to be processed by a third party response processor R. Which of the following SOAP headers in the request message convey the intention? Assume the endpoint reference of Service S is

```
<wsa:EndpointReference xmlns:wsa="http://www.w3.org/2005/08/addressing">
  <wsa:Address>http://example.com/service</wsa:Address>
</wsa:EndpointReference>
endpoint reference of the Response processor R is
<wsa:EndpointReference>
  <wsa:Address>http://example.com/responseprocessor</wsa:Address>
</wsa:EndpointReference>
```

- A. <s11:Header>

```
<wsa:Action>http://example.com/action/process</wsa:Action> <wsa:ReplyTo>
<wsa:Address>http://www.w3.org/2005/08/addressing/none</wsa:Address> <wsa:ReplyTo>
</s11:Header>
```

- B. <s11:Header>

```
<wsa:Action>http://example.com/action/process</wsa:Action> <wsa:ReplyTo>
<wsa:Address>http://www.w3.org/2005/08/addressing/anonymous</wsa:Address> <wsa:ReplyTo>
</s11:Header>
```

- C. <s11:Header>

```
<wsa:Action>http://example.com/action/process</wsa:Action> <wsa:ReplyTo>
<wsa:Address>http://example.com/responseprocessor</wsa:Address> <wsa:ReplyTo>
</s11:Header>
```

- D. <s11:Header>

```
<wsa:Action>http://example.com/action/process</wsa:Action> <wsa:ReplyTo>  
<wsa:Address>http://example.com/service</wsa:Address> <wsa:ReplyTo>  
</s11:Header>
```

**Answer: C**

#### QUESTION 9

Given stock quote web service endpoint:

```
@Addressing  
@WebService  
public class StockQuoteService{  
    ...  
}
```

and the corresponding client side artifacts for the above web service are :

StockQuoteService is the Service class and StockQuoteProvider is the corresponding SEI. Which of the following two options enable addressing feature for proxy for the StockQuoteProvider SEI ? (Choose two)

- A. proxy = new StockQuoteService().getStockQuoteProvider()
- B. proxy = new StockQuoteService().getStockQuoteProvider(new AddressingFeature())
- C. proxy = new StockQuoteService().getStockQuoteProvider(new AddressingFeature(false))
- D. proxy = new StockQuoteService().getStockQuoteProvider(new AddressingFeature(false, true))

**Answer: AB**

#### QUESTION 10

What is an advantage of enabling Addressing feature on an endpoint?

- A. Addressing ensures reliable transfer of messages between client address and the service address.
- B. Addressing ensures the message exchanges between the client and service are properly secured.
- C. Addressing enables the optimization of messages exchanged between the client and the service.
- D. Addressing provides transport-neutral way to address the endpoints and messages.

**Answer: D**

## Thank You for Trying Our Product

### PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER  
NETWORKS



EMC<sup>2</sup>  
where information lives®

**10% Discount Coupon Code: STNAR2014**