

**Exam Code:** jn0-341

**Exam Name:** ER.Associate (JNCIA-ER)

**Vendor:** Juniper Networks

**Version:** DEMO

## Part: A

1: Which command copies the factory-default files to your backup media?

- A.request system snapshot rescue
- B.request system snapshot factory
- C.request system snapshot default
- D.request system snapshot as-primary

**Correct Answers: B**

2: What are two methods of accessing a Juniper enterprise router? (Choose two)

- A.RSH
- B.HTTPS
- C.console
- D.J-Config

**Correct Answers: B C**

3: What is the default route preference for static routes?

- A.0
- B.5
- C.10
- D.170

**Correct Answers: B**

4: What is shown by the command show interfaces extensive fe-0/0/0 but not shown by the command show interface detail fe-0/0/0?

- A.input error counter
- B.interface MTU size
- C.input packets counter
- D.the IP address on logical interface fe-0/0/0.0

**Correct Answers: A**

5: What does the number one (1) represent for interface fe-0/0/1?

- A.port number
- B.PCI slot number
- C.channel number
- D.virtual PIC number

**Correct Answers: A**

6: What are two functions of the Intel IXP processors? (Choose two.)

- A.keepalives
- B.route-lookup
- C.CRC validation
- D.Layer 2 decapsulation

**Correct Answers: A C**

7: Which CLI command will ping destination 10.0.29.1 ten times and display the incoming interface of the received packet?

- A.ping count 10 10.0.29.1 detail
- B.ping number 10 10.0.29.1 detail
- C.ping count 10 10.0.29.1 extensive
- D.ping number 10 10.0.29.1 extensive

**Correct Answers: A**

8: Which J-Web menu displays the users currently logged into the CLI?

- A.Monitor > Users
- B.Manage > Users
- C.Monitor > System
- D.Manage > System

**Correct Answers: C**

9: Which multicast address does RIPv2 use for route updates by default?

- A.224.0.0.2
- B.224.0.0.5
- C.224.0.0.9
- D.255.255.255.255

**Correct Answers: C**

10: Which two statements regarding system logging on a Juniper enterprise router are correct? (Choose two.)

- A.The system log has a proprietary format.
- B.System logs must be sent to a remote device.
- C.New system logs can be created and archived.
- D.Most software processes create their own logs.

**Correct Answers: C D**

11: In configuration mode you see the following prompt:

```
[edit interfaces fe-1/1/1]  
user@router#
```

Which command will take you to operational mode?

- A.end
- B.exit
- C.quit
- D.exit configuration-mode

**Correct Answers: D**

12: Which three options can be used with the load CLI command? (Choose three.)

- A.merge
- B.replace
- C.partial

D.complete

E.override

**Correct Answers: A B E**

13: Click the Exhibit button.

In the exhibit, the protect-re filter is applied as an input filter on the lo0.0 interface and all possible services are enabled under [edit system services].

Which two methods can you use to access the router? (Choose two.)

```
[edit]
instructor@R2# show firewall
family inet {
  filter protect-re {
    term 1 {
      from {
        protocol tcp;
        destination-port ssh;
      }
      then accept;
    }
    term 2 {
      from {
        protocol tcp;
        destination-port http;
      }
      then accept;
    }
  }
}
```

A.FTP

B.SSH

C.Telnet

D.J-Web

**Correct Answers: B D**

14: Which type of IGP should you use to achieve scalability in a large enterprise network?

A.link-state protocol

B.path-vector protocol

C.Bellman-Ford protocol

D.distance-vector protocol

**Correct Answers: A**

15: The J-Web application can install the JUNOS software from which two locations? (Choose two.)

A.SDX

B.local PC

C.BSD shell

D.remote host

**Correct Answers: B D**