



Vendor: Microsoft

Exam Code: 70-417


Exam Name: Upgrading Your Skills to MCSA Windows
Server 2012 R2 Exam

Version: DEMO

QUESTION 1

You have a server named Server1 that runs a Server Core Installation of Windows Server 2012 R2 Datacenter.

You have a WIM file that contains the four images of Windows Server 2012 R2 as shown in the Images exhibit. (Click the Exhibit button.)



```
Administrator: Windows PowerShell
PS C:\> dism /get-imageinfo /imagefile:d:\sources\install.wim

Deployment Image Servicing and Management tool
Version: 6.3.9600.16384

Details for image : d:\sources\install.wim

Index : 1
Name : Windows Server 2012 R2 SERVERSTANDARDCORE
Description : Windows Server 2012 R2 SERVERSTANDARDCORE
Size : 6,836,711,203 bytes


Index : 2
Name : Windows Server 2012 R2 SERVERSTANDARD
Description : Windows Server 2012 R2 SERVERSTANDARD
Size : 11,676,579,164 bytes

Index : 3
Name : Windows Server 2012 R2 SERVERDATACENTERCORE
Description : Windows Server 2012 R2 SERVERDATACENTERCORE
Size : 6,837,191,915 bytes

Index : 4
Name : Windows Server 2012 R2 SERVERDATACENTER
Description : Windows Server 2012 R2 SERVERDATACENTER
Size : 11,676,661,826 bytes

The operation completed successfully.
PS C:\> _
```

You review the installed features on Server1 as shown in the Features exhibit. (Click the Exhibit button.)



```
Administrator: C:\Windows\system32\cmd.exe - powershell
[ ] Telnet Server Telnet-Server
[ ] IFTIP Client IFTIP-Client
[X] User Interfaces and Infrastructure User-Interfaces-Infra
[ ] Graphical Management Tools and Infrastructure Server-Gui-Mgmt-Infra
[ ] Desktop Experience Desktop-Experience
[ ] Server Graphical Shell Server-Gui-Shell
[ ] Windows Biometric Framework Biometric-Framework
[ ] Windows Feedback Forwarder WFF
[ ] Windows Identity Foundation 3.5 Windows-Identity-Fou...
```

You need to install the Server Graphical Shell feature on Server1. Which two possible sources can you use to achieve this goal? (Each correct answer presents a complete solution. Choose two.)

- A. Index 1

- B. Index 2
- C. Index 3
- D. Index 4

Answer: BD

Explanation:

When you install Windows Server 2012 R2 you can choose between Server Core Installation and Server with a GUI. The "Server with a GUI" option is the Windows Server 2012 R2 equivalent of the Full installation option available in Windows Server 2008 R2. The "Server Core Installation" option reduces the space required on disk, the potential attack surface, and especially the servicing requirements, so we recommend that you choose the Server Core installation unless you have a particular need for the additional user interface elements and graphical management tools that are included in the "Server with a GUI" option. For this reason, the Server Core installation is now the default. Because you can freely switch between these options at any time later, one approach might be to initially install the Server with a GUI option, use the graphical tools to configure the server, and then later switch to the Server Core Installation option. Reference: Windows Server Installation Options

QUESTION 2

Your network contains an Active Directory forest named contoso.com. The forest contains two domains named contoso.com and child1.contoso.com. The domains contain three domain controllers. The domain controllers are configured as shown in the following table.

Domain controller name	Operating system	Configuration
dc1.contoso.com	Windows Server 2008 R2	Schema master Domain naming master
dc10.child1.contoso.com	Windows Server 2012 R2	PDC emulator
dc11.child1.contoso.com	Windows Server 2008 R2	RID master

You need to ensure that the KDC support for claims, compound authentication, and kerberos armoring setting is enforced in both domains.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Raise the domain functional level of contoso.com.
- B. Raise the domain functional level of child1.contoso.com.
- C. Raise the forest functional level of contoso.com.
- D. Upgrade DC11 to Windows Server 2012 R2.
- E. Upgrade DC1 to Windows Server 2012 R2.

Answer: AE

Explanation:

The root domain in the forest must be at Windows Server 2012 level. First upgrade DC1 to this level, then raise the contoso.com domain functional level to Windows Server 2012.

QUESTION 3

Your network contains an Active Directory domain named contoso.com. The domain contains a member server named Server1 that has the Active Directory Federation Services server role installed. All servers run Windows Server 2012 R2.

You complete the Active Directory Federation Services Configuration Wizard on Server1.

You need to ensure that client devices on the internal network can use Workplace Join.

Which two actions should you perform on Server1? (Each correct answer presents part of the solution. Choose two.)

- A. Run Enable-AdfsDeviceRegistration -PrepareActiveDirectory.
- B. Edit the multi-factor authentication global authentication policy settings.
- C. Run Enable-AdfsDeviceRegistration.
- D. Run Set-AdfsProxyProperties HttpPort 80.
- E. Edit the primary authentication global authentication policy settings.

Answer: CE

Explanation:

* To enable Device Registration Service On your federation server, open a Windows PowerShell command window and type:

```
Enable-AdfsDeviceRegistration
```

Repeat this step on each federation farm node in your AD FS farm..

Enable seamless second factor authentication

Seamless second factor authentication is an enhancement in AD FS that provides an added level of access protection to corporate resources and applications from external devices that are trying to access them. When a personal device is Workplace Joined, it becomes a 'known' device and administrators can use this information to drive conditional access and gate access to resources.

To enable seamless second factor authentication, persistent single sign-on (SSO) and conditional access for Workplace Joined devices

In the AD FS Management console, navigate to Authentication Policies. Select Edit Global Primary Authentication. Select the check box next to Enable Device Authentication, and then click OK.

QUESTION 4

Drag and Drop Question

Your network contains an Active Directory domain named contoso.com.

You need to ensure that third-party devices can use Workplace Join to access domain resources on the Internet.

Which four actions should you perform in sequence?

To answer, move the appropriate four actions from the list of actions to the answer area and arrange them in the correct order.

	Answer Area
Create a claims provider trust.	
Create an attribute store.	
Enable the Device Registration Service.	
Install a certificate obtained from a trusted third-party certification authority (CA).	
Install and configure Active Directory Federation Services (AD FS).	
Install and configure a Web Application Proxy.	

Answer:

	Answer Area
Create a claims provider trust.	Install a certificate obtained from a trusted third-party certification authority (CA).
Create an attribute store.	Install and configure Active Directory Federation Services (AD FS).
Enable the Device Registration Service.	Enable the Device Registration Service.
Install a certificate obtained from a trusted third-party certification authority (CA).	
Install and configure Active Directory Federation Services (AD FS).	Install and configure a Web Application Proxy.
Install and configure a Web Application Proxy.	

QUESTION 5

Your network contains two Web servers named Server1 and Server2. Both servers run Windows Server 2012 R2.

Server1 and Server2 are nodes in a Network Load Balancing (NLB) cluster. The NLB cluster contains an application named App1 that is accessed by using the URL <http://app1.contoso.com>. You plan to perform maintenance on Server1.

You need to ensure that all new connections to App1 are directed to Server2. The solution must not disconnect the existing connections to Server1.

What should you run?

- A. The Set-NlbCluster cmdlet
- B. The Set-NlbClusterNode cmdlet
- C. The Stop-NlbCluster cmdlet
- D. The Stop-NlbClusterNode cmdlet

Answer: D

Explanation:

The Stop-NlbClusterNode cmdlet stops a node in an NLB cluster. When you use the stop the nodes in the cluster, client connections that are already in progress are interrupted. To avoid interrupting active connections, consider using the -drain parameter, which allows the node to continue servicing active connections but disables all new traffic to that node.

-Drain <SwitchParameter>

Drains existing traffic before stopping the cluster node. If this parameter is omitted, existing traffic will be dropped.

QUESTION 6

Your network contains an Active Directory domain named contoso.com. The domain contains servers named Server1 and Server2 that run Windows Server 2012 R2. Server1 has the Active Directory Federation Services server role installed. Server2 is a file server.

Your company introduces a Bring Your Own Device (BYOD) policy.

You need to ensure that users can use a personal device to access domain resources by using Single Sign-On (SSO) while they are connected to the internal network.

Which two actions should you perform? (Each correct answer presents part of the solution.

Choose two.)

- A. Enable the Device Registration Service in Active Directory.
- B. Publish the Device Registration Service by using a Web Application Proxy.
- C. Configure Active Directory Federation Services (AD FS) for the Device Registration Service.
- D. Create and configure a sync share on Server2.
- E. Install the Work Folders role service on Server2.

Answer: AC

QUESTION 7

Your network contains an Active Directory forest named contoso.com. The forest contains four domains. All servers run Windows Server 2012 R2.

Each domain has a user named User1.

You have a file server named Server1 that is used to synchronize user folders by using the Work Folders role service.

Server1 has a work folder named Sync1.

You need to ensure that each user has a separate folder in Sync1.

What should you do?

- A. From Windows Explorer, modify the Sharing properties of Sync1.
- B. Run the Set-SyncServerSetting cmdlet.
- C. From File and Storage Services in Server Manager, modify the properties of Sync1.
- D. Run the Set-SyncShare cmdlet.

Answer: D

QUESTION 8

You manage an environment that has many servers. The servers run Windows Server 2012 R2 and use iSCSI storage. Administrators report that it is difficult to locate available iSCSI resources on the network. You need to ensure that the administrators can locate iSCSI resources on the network by using a central repository. Which feature should you deploy?

- A. The iSNS Server service feature
- B. The iSCSI Target Storage Provider feature
- C. The Windows Standards-Based Storage Management feature
- D. The iSCSI Target Server role service

Answer: A

Explanation:

<http://technet.microsoft.com/en-us/library/cc772568.aspx>

iSNS Server Overview

Internet iStorage Name Service Server

The Internet Storage Name Service (iSNS) protocol is used for interaction between iSNS servers and iSNS clients. iSNS clients are computers, also known as initiators, that are attempting to discover storage devices, also known as targets, on an Ethernet network. iSNS facilitates automated discovery, management, and configuration of iSCSI and Fibre Channel devices (using iFCP gateways) on a TCP/IP network. Note The Microsoft iSNS Server only supports the discovery of iSCSI devices, and not Fibre Channel devices. iSNS Server provides intelligent storage discovery and management services comparable to those found in Fibre Channel networks, allowing a commodity IP network to function in a similar capacity as a storage area network. iSNS facilitates a seamless integration of IP networks and manages iSCSI devices. iSNS thereby provides value in any storage network comprised of iSCSI devices.

Features of iSNS Server iSNS Server is a repository of currently active iSCSI nodes, as well as their associated portals, entities, etc.

Nodes can be initiators, targets, or management nodes. Typically, initiators and targets register with the iSNS server, and the initiators query the iSNS server for the list of available targets.

A dynamic database of the iSCSI devices and related information that are currently available on the network:

The database helps provide iSCSI target discovery functionality for the iSCSI initiators on the network. The database is kept dynamic by using the Registration Period and Entity Status Inquiry features of iSNS.

Registration Period allows the server to automatically deregister stale entries. Entity Status Inquiry provides the server a functionality similar to ping to determine whether registered clients are still present on the network, and allows the server to automatically deregister those clients which are no longer present. State Change Notification Service: This allows registered clients to be made aware of changes to the database in the iSNS server. It allows the clients to maintain a dynamic picture of the iSCSI devices available on the network.

Discovery Domain Service: This allows an administrator to assign iSCSI nodes and portals into one or more groups called discovery domains. Discovery domains provide a zoning functionality by which an iSCSI initiator can only discover those iSCSI targets who have at least one discovery domain in common with it.

Benefits of iSNS Server in iSCSI Storage Area Networks Centralized management

Easily scalable to large IP storage networks

Extensible

Asynchronous notification of changes in the iSCSI storage network Ability to monitor the status and availability of clients Microsoft-preferred discovery method for iSCSI

Designed for Windows Logo Program requirement for iSCSI HBAs

QUESTION 9

Your network contains an Active Directory domain named contoso.com. The domain contains two member servers named Server1 and Server2 that run Windows Server 2012 R2. Server1 has Microsoft SQL Server 2012 R2 installed. You install the Active Directory Federation Services server role on Server2. You need to configure Server2 as the first Active Directory Federation Services (AD FS) server in the domain. The solution must ensure that the AD FS database is stored in a SQL Server database on Server1. What should you do on Server2?

- A. From Windows PowerShell, run Install-ADFSFarm.
- B. From Windows PowerShell, run Install-ADFSStandAlone.
- C. From the AD FS console, run the AD FS Federation Server Configuration Wizard and select the Stand-alone federation server option.
- D. From Server Manager, install the AD FS Web Agents.

Answer: A

Explanation:

Install-ADFSFarm with the parameter -SQLConnectionString (thx @Nab from France)

This is the only valid option.

<http://technet.microsoft.com/en-us/library/ee913579.aspx>

===

Not: Powershell Install-ADFSStandAlone

We're not going for StandAlone which is no more for 2012 R2 btw.

Not: Stand Alone federation.

Not: ADFS Web Agents

The Active Directory Federation Services (ADFS) Web Agent is a component of ADFS. It is used to consume security tokens and either allow or deny a user access to a Web application. To accomplish this, the Web server requires a relationship with a resource Federation Service so that it can direct the user to the Federation Service as needed.

QUESTION 10

Your network contains an Active Directory domain named contoso.com. All servers run Windows Server 2012 R2. You are creating a central access rule named TestFinance that will be used to audit members of the Authenticated Users group for access failure to shared folders in the finance department. You need to ensure that access requests are unaffected when the rule is published.

What should you do?

- A. Set the Permissions to Use the following permissions as proposed permissions.
- B. Set the Permissions to Use following permissions as current permissions.
- C. Add a User condition to the current permissions entry for the Authenticated Users principal.
- D. Add a Resource condition to the current permissions entry for the Authenticated Users principal.

Answer: A

Explanation:

<http://technet.microsoft.com/en-us/library/jj134043.aspx>

▲ Proposed permissions

Proposed permissions enable an administrator to more accurately model the impact of potential changes to access control settings without actually changing them.

What value does this change add?

Predicting the effective access to a resource helps you plan and configure permissions for those resources before actually implementing those changes.

What works differently?

Proposed permissions were not available in earlier versions of Windows.

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad.**
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives[®]

10% Discount Coupon Code: STNAR2014