



Vendor: Microsoft

Exam Code: 70-489

Exam Name: Developing Microsoft SharePoint Server 2013
Advanced Solutions

Version: DEMO

QUESTION 1

Drag and Drop Questions

You connect to a front-end web server in a SharePoint farm for a company named Contoso, Ltd. You start the SharePoint Management Shell by using an account that has administrator permissions for the user-profile store. You use Windows PowerShell to create a User Profile property. You add the profile type and sub type to the User Profile property. You run the following Windows PowerShell cmdlets:

```
$ns | add-types "Microsoft.Office.Server.UserProfiles"  
$site = Get-SPSite "https://internal.contoso.com"  
$ctx = Get-SPServiceContext($site)
```

How should you complete the relevant Windows PowerShell cmdlets? (To answer, drag the appropriate code segment to the correct location or locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

	Answer Area
GetProfileSubType	\$mgr1 = new \$ns. [] (\$ctx)
GetProfileTypeProperties	\$mgr2 = \$mgr1. []
GetPropertyByName	\$mgr3 = \$mgr2.GetCoreProperties()
ProfilePropertyManager	\$mgr4 = \$mgr2. []
UserProfileConfigManager	(\$ns.ProfileType::User)
	\$mgr5 = \$ns.ProfileSubTypeManager::Get(\$ctx)
	\$profileName = \$ns.ProfileSubtypeManager::GetDefaultProfileName \$ns.ProfileType::User
	\$type1 = \$mgr5. [] (\$profileName)
	\$mgr6 = \$type1.Properties
	\$prop1 = \$mgr6. [] ("Custom1")

Answer:

```
$mgr1 = new $ns.UserProfileConfigManager ($ctx)
$mgr2 = $mgr1.ProfilePropertyManager
$mgr3 = $mgr2.GetCoreProperties()
$mgr4 = $mgr2.GetProfileTypeProperties
($ns.ProfileType::User)
$mgr5 = $ns.ProfileSubTypeManager::Get($ctx)
$profileName = $ns.ProfileSubtypeManager::GetDefaultProfileName
$ns.ProfileType::User
$type1 = $mgr5.GetProfileSubType ($profileName)
$mgr6 = $type1.Properties
$prop1 = $mgr6.GetPropertyByName ("Custom1")
```

QUESTION 2

You use Visual Studio to design a SharePoint solution for a company that sells wine to customers around the world. The solution must return the total number of cases sold per country. The solution also must allow employees to sort cases of wine that are returned. Employees must sort cases by country, date, and reason for the return. You need to configure the solution to meet the requirements. Which steps should you take? (Each correct answer presents part of the solution. Choose all that apply.)

- A. Add a Refinement Web Part to the page.
- B. Configure the query for the Content Search Web Part.
- C. Add country as a property filter to the Search Results Web Part.
- D. Add a Calendar Web Part to the page.

Answer: CD

QUESTION 3

Hotspot Questions

You develop a SharePoint app by using the client-side object model (CSOM.) On each page of the app, you need to display the user profile picture for the user that is currently logged in. How should you complete the relevant code? (To answer, select the appropriate option from each drop-down list in the answer area.)

```
function sharePointReady() {
    context = new SP.ClientContext.get_current();

    getProfilePic();
}

var a;
var b;
function getProfilePic() {


    a = new SP.UserProfiles.;

    b = a.getMyProperties();
    context.load(b);
    context.executeQueryAsync(function () {
        if (b) {

            var c = ;

            $("#profilePic").attr();

        }
    }, onFail);
}
```

```
function sharePointReady() {  
    context = new SP.ClientContext.get_current();  
  
    getProfilePic();  
}  
  
var a;  
var b;  
function getProfilePic() {  
  
    a = new SP.UserProfiles. ;  
      
  
    b = a.getMyProperties();  
    context.load(b);  
    context.executeQueryAsync(function () {  
        if (b) {  
  
            var c =  ;  
              
  
            $("#profilePic").attr( );  
              
        }  
    }, onFailure);  
}
```


Answer:

```

function sharePointReady() {
    context = new SP.ClientContext.get_current();


    getProfilePic();
}

var a;
var b;
function getProfilePic() {

    a = new SP.UserProfiles.;

    b = a.getMyProperties();
    context.load(b);
    context.executeQueryAsync(function () {
        if (b) {

            var c = ;

            $("#profilePic").attr();

        }
    }, onFailure);
}

```

QUESTION 4

You develop a SharePoint-hosted app. The app includes the following code segment: (Line numbers are included for reference only.)

```

01 var context;
02 var b;
03 var user;
04 $(document).ready(function () {
05     var e = ExecuteOrDelayUntilScriptLoaded(sharePointReady, "sp.userprofiles.js");
06 });
07 function sharePointReady() {
08     context = new SP.ClientContext.get_current();
09     getProperties();
10 }
11 function getProperties() {
12
13     b = a.getMyProperties();
14     context.load(b);
15     context.executeQueryAsync(onGetPropertiesSuccess, onGetPropertiesFail);
16 }

```

The app must display user profile data for the user that is logged in. The user profile data must

include the PreferredName, Department, and WorkPhone properties. You need to ensure that the app displays the required user profile data. Which code segment should you insert at line 12?

- A. `var a = new SP.UserProfiles.UserProfile();`
- B. `var a = new SP.UserProfiles.SocialFollowingManager (context);`
- C. `var a = SP.UserProfiles.Profileloader.GetProfileLoader(context);`
- D. `var a = new SP.UserProfiles.PeopleManager(context);`

Answer: D

QUESTION 5

Drag and Drop Questions

You develop a SharePoint app that includes microblog posts and conversations for a company named Contoso, Ltd. You must use various programming object models to determine the number of unread mentions in microblog posts for the current user. You need to call methods for different programming object models. How should you create the method calls? (To answer, drag the appropriate code segments to the correct location or locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

The screenshot shows a drag-and-drop question interface. On the left, there are six code segments in yellow boxes:

- `GetMentions ()`
- `getMentions ()`
- `GetUnreadMentionCount ()`
- `getUnreadMentionCount ()`
- `GET https://www.contoso.com/_api/social.feed/my/MentionFeed`
- `GET https://www.contoso.com/_api/social.feed/my/UnreadMentionCount`

Below these is a horizontal line with a split bar. On the right is the 'Answer Area' with four categories, each with a text input field:

- CSOM:
- JSOM:
- REST:
- SSOM:

Answer:

The screenshot shows the answer area with the correct code segments placed in the categories:

- CSOM: `GetUnreadMentionCount ()`
- JSOM: `getUnreadMentionCount ()`
- REST: `GET https://www.contoso.com/_api/social.feed/my/UnreadMentionCount`
- SSOM: `GetUnreadMentionCount ()`

QUESTION 6

You create term sets and multi-lingual labels for a site collection. The default locale, language, and culture for the term sets are set to English. You develop a console application to create labels for a term named Memory. The console application uses the English locale. You develop the following labels for the term named Memory.

Culture	Default value	Synonyms
English	memory	storage
French	mémoire	stockage
Italian	memoria	conservazione
Spanish	memoria	almacenamiento
German	speicher	lagerung

You need to create German labels for the term named Memory. How should you complete the relevant code? (To answer, select the appropriate code segment from each drop-down list in the answer area.)

```

var d = c.GetAllTerms();
ctx.Load(d, s => s.Include(t => t.Name));
ctx.ExecuteQuery();

var e = d.SingleOrDefault(x => x.Name ==  );

e.CreateLabel( ,

, true);

e.CreateLabel("lagerung",

    System.Globalization.CultureInfo.CreateSpecificCulture("de-DE").LCID,  );

ctx.ExecuteQuery();
    
```

```

var d = c.GetAllTerms();
ctx.Load(d, s => s.Include(t => t.Name));
ctx.ExecuteQuery();

var e = d.SingleOrDefault(x => x.Name == );

e.CreateLabel(,
    "memoria",
    "mémoire",
    "speicher");


System.Globalization.CultureInfo.CreateSpecificCulture("de-DE")
System.Globalization.CultureInfo.CreateSpecificCulture("de-DE").LCID
System.Globalization.CultureInfo.CurrentCulture.LCID

e.CreateLabel("lagerung",
    System.Globalization.CultureInfo.CreateSpecificCulture("de-DE").LCID, );

ctx.ExecuteQuery();


```

Answer:

```

var d = c.GetAllTerms();
ctx.Load(d, s => s.Include(t => t.Name));
ctx.ExecuteQuery();

var e = d.SingleOrDefault(x => x.Name == );

e.CreateLabel(,
    "memoria",
    "mémoire",
    "speicher");


System.Globalization.CultureInfo.CreateSpecificCulture("de-DE")
system.Globalization.CultureInfo.CreateSpecificCulture("de-DE").LCID
System.Globalization.CultureInfo.CurrentCulture.LCID

e.CreateLabel("lagerung",
    System.Globalization.CultureInfo.CreateSpecificCulture("de-DE").LCID, );

ctx.ExecuteQuery();


```

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad.**
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.

View list of all certification exams:

<http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: STNAR2014