



Vendor: GAQM

Exam Code: CTIL

Exam Name: Certified Software Tester - Intermediate Level
(CSTIL)

Version: DEMO

Case Study #1 - Scenario

A computerized system is being created to monitor the life support system on board a submarine. It monitors air quality, water supplies and temperature.

This system will be supplied and maintained by SubsInc. SubsInc uses the V-model for software development and conducts four levels of testing, from unit through to operational and site acceptance testing.

Two key risks identified for the air quality system are:

- (1) If the percentage of oxygen in the air falls too low, personnel may suffocate
- (2) If the concentration of carbon dioxide in the air rises too high, the air may become toxic.

To address these risks, the requirement specification for this system includes the following requirements:

- R1) Oxygen must be replaced as it is consumed.
- R2) Carbon dioxide must be removed from the air.

These requirements must be reflected in the functional, technical and program specification documents.

You are a newly recruited test manager.

A risk register has been produced with the following additional risks identified.

QUESTION 1

Which one is a product risk associated with the air quality management system?

- A. The system required to monitor oxygen levels may be more expensive than those required to monitor air temperatures.
- B. SubsInc may need to recruit extra developers and testers to deliver the project on time.
- C. Oxygen levels may reach dangerously low levels.
- D. Extreme temperatures may lead to heat exhaustion of personnel.

Answer: C

QUESTION 2

Which of the following would be an entry criterion into site acceptance testing for the air quality monitoring system?

- A. That the code written to fulfil the requirement to monitor carbon dioxide levels has been 100% path tested.
- B. That the functional specification accurately reflects requirements R1 and R2.
- C. That the system has been tested at levels of oxygen usage well beyond anticipated personnel levels.
- D. That the requirements for temperature control have been signed-off.

Answer: C

QUESTION 3

Which of the following is an accurate depiction of the hierarchy of test management documentation (where the highest comes first)?

- A. Test policy-Test strategy-Project test plan-System test plan
- B. Test strategy-Test policy-Project test plan-System test plan
- C. Test policy-Project test plan-Test strategy-System test plan
- D. Project test plan-Test strategy-System test plan-Test policy

Answer: A

QUESTION 4

Which of the following test design techniques would be most suitable for testing that the oxygen is released at the required times?

- A. Decision Testing.
- B. Statement Testing.
- C. Data flow Testing.
- D. Boundary Value Analysis.

Answer: D

QUESTION 5

When creating the functional specification for the temperature control system, which of the following review types would be most recommended to resolve any issues?

- A. A walkthrough.
- B. A technical review.
- C. A management review.
- D. A code inspection.

Answer: B

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives®

10% Discount Coupon Code: STNAR2014