PassLeader
Leader of IT Certifications

Vendor: Cisco

Exam Code: 642-359

Exam Name: Implementing Cisco Storage Network Solutions (ICSNS)

Version: DEMO

QUESTION 1
Which command would you use to determine if device aliases in VSAN 5 are configured for fabriC.wide distribution?

A. show zoneset name alias vsan 5
B. show cfs application name device-alias
C. showfcalias distribution vsan 5
D. show vsan 5 device-alias status

Answer: B

QUESTION 2
The MDS 9000 family switches use what three technologies to protect against unauthorized management access? (Choose three.)

A. SNMPV3
B. SSH
C. RBAC
D. RMON
E. E. ses
F. WEBM

**Answer:** ABC

QUESTION 3
Drag and Drop Question.
Drag the Cisco analysis tool on the left to its appropriate description on the right.

| Switch Health Analysis | | determines if switches will connect successfully without fabric isolation due to mismatched port membership |
Fabric Configuration Analysis		compares the configurations of all Cisco MDS switches in a fabric to a reference switch or a policy file
End-to-End Connectivity		runs an in-depth switch analysis with Fabric Manager, verifying status of all critical MDS system, module, port, and Fibre Channel services
Zone Merge Analysis		utilizes FC Ping to verify interconnections between Cisco MDS switches and end-device (HBAs and storage devices) in a particular VSAN

Drag and drop question. Drag the items to the proper locations.

Answer:

Switch Health Analysis	Zone Merge Analysis
Fabric Configuration Analysis	Fabric Configuration Analysis
End-to-End Connectivity	Switch Health Analysis
Zone Merge Analysis	End-to-End Connectivity

QUESTION 4
Refer to the exhibit. Which two options from the Tools menu would you select to verify connectivity and latency to a Fibre Channel end device? (Choose two.)

A. Switch Health
B. Fabric Configuration
C. End to End Connectivity
D. Ping
E. Device Manager

Answer: CD

QUESTION 5
During initial switch configuration, the administrator elects to enable full zoneset distribution. What is the impact of this choice during zoneset activation?

A.   only the active zoneset is distributed to all switches in the fabric
B.   both the full zone database and active zoneset are distributed to all switches in the fabric
C.   both FCID and WWN information are distributed to all switches in the fabric
D.   only the full zone database is distributed to all switches in the fabric

Answer: B

QUESTION 6
Refer to the exhibit. What is the effect of enabling the VSAN scope with number 500 when creating the SalesUser role?

A.   The user would be excluded from VSAN 500.
B.   The user would be able to use allowed commands in VSAN 500 only.
C.   The user would be able to create VSAN from 1 to 500.
D.   The user connecting to the Fibre Channel fabric would be restricted to VSAN 500.

**Answer:** B

QUESTION 7
The system administrator receives the following message: "Error disabled - Possible port channel misconfiguration". What three things should the administrator verify in the PortChannel configuration? (Choose three.)

A.   Each switch on either side of the PortChannel is connected to the same number of interfaces.
B.   There are no more than 32 links aggregated together to form the PortChannel.
C.   Each ISL interface belongs to the same VSAN.
D.   Links in the PortChannel were not changed after the PortChannel was configured.

Answer: ACD

QUESTION 8
Refer to the exhibit. What is the effect of executing the commands shown in the exhibit?


```
switch(config)# ip access-list List1 permit tcp
        10.0.17.2 0.0.0.0 10.0.17.5 0.0.0.0
switch(config)# ip access-list List1 deny tcp any any
switch(config)# interface mgmt0
switch(config-if)# ip access-group List1 in
```

A. Host A will not be able to communicate with interface mgmtO.
B. Host B will not be able to communicate with interface mgmtO.
C. All hosts will be able to communicate with interface mgmtO.
D. No hosts will be able to communicate with interface mgmtO.

Answer: A

QUESTION 9
A host is unable to access the storage network after its HBA is replaced. Which of these switch configurations could be preventing access?

A. port-based zoning
B. port-mode security
C. port security
D. port VSAN membership

Answer: C

QUESTION 10
Which Cisco MDS feature can be used to notify an administrator or call center that a serious event has occurred in the fabric?

A. Call Home
B. syslog
C. FLOGI
D. SNMP
E. SPAN

Answer: A

Thank You for Trying Our Product

PassLeader Certification Exam Features:

★ More than 99,900 Satisfied Customers Worldwide.

★ Average 99.9% Success Rate.

★ Free Update to match latest and real exam scenarios.

★ Instant Download Access! No Setup required.

★ Questions & Answers are downloadable in PDF format and VCE test engine format.

★ Multi-Platform capabilities - Windows, Laptop, Mac, Android, iPhone, iPod, iPad.

★ 100% Guaranteed Success or 100% Money Back Guarantee.

★ Fast, helpful support 24x7.

View list of all certification exams: http://www.passleader.com/all-products.html

10% Discount Coupon Code: STNAR2014