



**Vendor:** Citrix

**Exam Code:** 1Y0-230

**Exam Name:** Citrix NetScaler 12 Essentials and Unified Gateway

**Version:** DEMO

**QUESTION 1**

Which type of entity can a Citrix Administrator configure to support the use of an SSL rewrite policy?

- A. Global server load balancing virtual server
- B. Content Switching virtual server
- C. SSL load balancing virtual server
- D. SSL\_Bridge load balancing virtual server

**Answer: C**

**QUESTION 2**

A Citrix Administrator receives user complaints about latency while accessing an application that is being load-balanced on the NetScaler.

Which tool can the administrator use to gather information regarding Response time, Client network latency and Server-side processing time?

- A. aaad debug
- B. WAN Insight
- C. NetScaler Management and Analytics System (MAS)
- D. HDX Insight

**Answer: C**

**QUESTION 3**

A Citrix Administrator needs to utilize the client IP address as the source IP address for the NetScaler to server connections.

Which mode on the NetScaler will the administrator utilize to meet this requirement?

- A. Layer 2
- B. USIP
- C. Layer 3
- D. USNIP

**Answer: B**

**QUESTION 4**

Scenario: A NetScaler Gateway provides ICA Proxy to an internal XenDesktop site in an environment. The security team wants the Citrix Administrator to configure the NetScaler to block client drives if the client device fails a security scan. Which NetScaler feature allows the administrator to satisfy the security team's requirements without making any changes to the XenDesktop configuration?

- A. Traffic Policy
- B. SmartAccess
- C. SmartControl
- D. Authorization Policy

**Answer: D**

### QUESTION 5

Scenario: A Citrix Administrator needs to configure a NetScaler Gateway virtual server in order to meet the security requirements of the organization. The administrator needs to configure timeouts for end-user sessions, to be triggered by the following behaviors:

- \* Inactivity for at least 15 minutes
- \* No keyboard or mouse activity for at least 15 minutes

Which two timeout settings can the administrator configure to meet the requirements? (Choose two.)

- A. Client Idle Time-out set to 15
- B. Forced Time-out set to 15
- C. Client Idle Time-out set to 900
- D. Session Time-out set to 15
- E. Session Time-out set to 900
- F. Forced Time-out set to 900

**Answer:** BD

### QUESTION 6

Which NetScaler feature can a Citrix Administrator use to create a custom footer for a NetScaler Gateway login page?

- A. Rewrite
- B. SmartAccess
- C. HTTP Callout
- D. Responder

**Answer:** A

### QUESTION 7

Which two components need to be configured for SmartAccess? (Choose two.)

- A. Configuration logging
- B. XenDesktop policies
- C. XML Trust
- D. StoreFront server groups

**Answer:** CD

### QUESTION 8

Scenario: A user is attempting to access a web server, which is load-balanced by the NetScaler using HTTPS. The user received the following message:

SSL/TLS error: You have not chosen to trust "Certificate Authority" the issuer of the server's security certificate.

What can a Citrix Administrator do to prevent users from viewing this message?

- A. Ensure that the intermediate Certificate is linked to the Server Certificate.
- B. Ensure that the user has the Server Certificate installed.
- C. Ensure that the intermediate Certificate is linked to the Root Certificate.
- D. Ensure that the user has the Certificate's Public key.

**Answer: C**

**QUESTION 9**

What does a Citrix Administrator need to do on NetScaler Gateway to ensure that users accept the terms and conditions before they can log on using NetScaler Gateway?

- A. Configure a Responder policy.
- B. Upload an HTML file to the NetScaler appliance.
- C. Create an end user license agreement (EULA).
- D. Configure a Rewrite policy.

**Answer: A**

**QUESTION 10**

Which type of policy can be applied to a NetScaler Gateway virtual server to limit access to XenDesktop resources, if the user device does NOT comply with the company's security requirements?

- A. Responder
- B. Authorization
- C. Session
- D. Traffic

**Answer: D**

**QUESTION 11**

Which mode does a Citrix Administrator need to configure in order to allow the NetScaler to forward any packets that are NOT destined for an IP address which is NOT configured on NetScaler?

- A. Layer 3
- B. USIP
- C. Layer 2
- D. MAC-based Forwarding

**Answer: C**

## Thank You for Trying Our Product

### PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad.**
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER  
NETWORKS



EMC<sup>2</sup>  
where information lives<sup>®</sup>

**10% Discount Coupon Code: STNAR2014**