Exam Code: HP0-244 Exam Name: Advanced Backup Troubleshooting & Tuning Vendor: HP Version: DEMO

Part: A

1: HP Ultrium tape drives use the ATS (Adaptive Tape Speed) feature. The main purpose of ATS is to increase _____.

A.buffer capacity by varying the speed of the tape B.tape write speed by adjusting the host transfer rate

C.overall performance by reducing the number of repositions

D.tape read speed by adjusting the host transfer rate

Correct Answers: C

2: What is the maximum cable length of an LVD SCSI bus? A.7 m B.12 m C.20,5 m D.25 m **Correct Answers: B**

3: What happens if you connect an HVD (High Voltage Differential) HBA (host bus adapter) to an LVD (Low Voltage Differential) tape device?

A.The devices function correctly if you setup unique SCSI IDs and have proper termination.

B.The devices do not function together and you may damage them.

C.The devices function correctly after setting up the compatibility mode for the HBA.

D.The devices do not function together unless you use active termination.

Correct Answers: B

4: What is an advantage of the Cartridge Memory (a memory chip located in the cartridge) of the LTO Ultrium technology (LTO-CM) over previous tape technologies?

A.It eliminates the need for barcodes and barcode readers in tape libraries.

B.Data such as tape identity, type, usage and tape contents is read from a chip rather than the system area on tape, which reduces the wear and tear of that particular section.

C.It contains troubleshooting information from the tape drive which can help to reduce overall repair times.

D.The Ultrium drive reads data for firmware upgrades from a chip rather than a tape which increases the speed of the upgrade procedure.

Correct Answers: B

5: The DLT tape backward read compatibility of HP SuperDLT drives is possible due to the _____.
A.Magneto-Resistive Cluster (MRC) technology
B.additional magnetic read-head
C.Pivoting Optical Servo (POS) technology
D.low-dens mode switch
Correct Answers: B

6: SCSI bus termination is _____.

A.optional

B.required and there must be one terminator for each device on the bus C.required and there must be two terminators, one on each end of the bus D.required and done automatically by all SCSI devices **Correct Answers: C**

7: Which tool, available at the HP web site, can size and configure the ideal backup solution for DAS, NAS and SAN environments using information you specify?
A.HP OpenView Data Protector configuration scripter
B.Backup Sizing Tool
C.Enterprise Backup Solution Configuration Matrix
D.HP StorageWorks Library and Tape Tools
Correct Answers: B

8: Which HP StorageWorks tape drive is the most appropriate choice for enterprise businesses with 150 GB of data to backup?

A.DAT 24 B.DAT 72 C.DLT VS 80 D.Ultrium 460 **Correct Answers: D**

9: Click the Exhibit button.

A customer has one single ESL9326D/DX with 4 DLT8000 drives. Which tape drive is supported for the next drives being installed in this library?

						2	
Jograde to drive	5DIT 220	SD(T 320	Liferium 230	Limium 460	Madia Partitioning	Media Partitioning	Media Partitionin
	(Ultra 2 SCSI)	(Ultra 2 SC5))	(Ultra 2 SCSI)	(Ulwa 3 SESI			
ibrary T					DUTBOOD & SOLT	SDLT & LTO	Ultrium 230 & 4c
ESL9198DLX	Sapported	Supported	Supported	Supported	Supported (IVD only)	Supported ((VD only)	Supported
requires	249632-821 ESI9700 BUL Eritadus Ar uppraku 236617-821 ESI 9700 Field Upgrade 3DI1220 Add/Cle (VI) Drive	240632-821 ESI9000 SIDIT Ent anni 293414-821 ESI9000 IVD 293414-821 ESI9000 IVD 2017500 dinis uigmaki 274673-821 ESI9000 5 MB Memory Atadala	240632-821 ESI9000 SQLT Est enni in uppnak 301930-821 ESI9000 I/O Uklave 23 Uppnak Dirik 23 Uppnak Dirik 23 Uppnak Dirik 302294-821 ESI9000 UNAVESAL ICAD POET	249632-821 ESPEDDO SIDII Est avia #1 upgradi 330834-821 ESPEDDO SIDI Utelan 460 Upgrada Dehie 274673-821 ESPEDDO SID Utelan Marriary Madula 362224-821 ESPEDDO SINE 1040/ FORT (configure aingle direc per SCSI bai) 62400 Estera INSE avia Martiary INSE avia 162400 Estera INSE avia 16240			
ESL9198SL	Sapported	Separated	Supported	Supported	Supported (IVD only)	Supported (LVD only)	Supported
nequires	234617-821 ESL 9000 And Upgrade SELT220 Add-Dn (VD Onne	299414-821 E319000 UD SDT920 drive Legande 274673 821 E319000 5 MB Memory Module	301930-821 ESI9000 (70 Ukiem 230 Upgruhe Drive 274673-821 ESI9000 5 Ate Neway Medikin 302254-821 ESI9000 (INIVEESA) LCAD PORT	330634-821 ESIS000 (70 Uklism 460 Upgrade Dive 274673-821 ESIS000 S All Mercey Madde 302254-821 ESIS000 (INVERSAL LOAD FORT (configure single drive per SC31 bas) 824001 F60 areabedind XSS and 824002 setemal NSR are Ubre 3 SC59			
ES£9326D/DX	Sapported (HVD only)	Supported (HVD only)	746/ supported	Not supported	Supported (HVD only)	Netwariantia	No supported
requires	249632-821 ESI9000 SDV Errada Rrupgrade 234617-822 ESI 9000 SDV1220 Add Chi HVD Drive	249632-821 ESI9000 SDIT Ext unite kill apgrade 293415-821 ESI9000 HVD SOIT320 drive upgrade 274673-821 ESI9000 S MB Alemory Models	x	×		x	x
ES1932651	Sapported	Supported	Supported	Supported	Supported (LVD only)	Supported (LVD only)	Supported
requires	234617-821 ESL POOD SOLT220 (VD spyrode Drive	299414-621 ESIYOOO IVO SOLTS2D diine upgade 274673-821 ESIYOOO 5 ALB Memory Medide	301930-821 ESIPDOD LPD Ulivier 230 Upgrade Drive 230 ESIPOD S ME Memory Meddle 302254-821 ESIPOD UNIVERSAL IDAD PORT	330834-821 ESV6000 (20 Uhlinn 460 Upgrade Drive 274073-821 ESV6000 5 AB Merrary Maddel 302254-821 ESV600 (INVVRSAL LOAD PORT (configure simple drive per SCSI bia) 62400 (20 enricedded ASB and M2402 external NSB are Uhro 3 SCSI			

A.DLT 8000 drives only B.SDLT220 or SDLT320 C.DLT8000, SDLT220 or SDLT320 D.SDLT220, SDLT320 or Ultrium230 **Correct Answers: C**

10: Click the Exhibit button.

A customer installed Virtual Replicator on a Windows 2000 host. Which backup applications are supported for backing up the Virtual Replicator disks? Select TWO.

February 2004												
	HP Data Protector	Atempo Time Navigator	BakBono NotVault	CA BrightStor ARCservo	CA BrightStor EB	CommVault Galaxy	Legato NetWarker	Syncsort Backup Express	Tivoli Storago Managor	VERITAS Backup Exoc	VERITAS NotBackup	
OpenView												
Storage Virtual Replicator							~		×.	×	¥	
OV-SAM	¥			4	~	~	Ŷ	~	×	v	Ý	
Zero Downtime with XP	2											
Instant Recovery with XP	×				1							
StorageWorks												
Command View for ESL	×			4		×	¥		4	v	Ý	
Continuous Access				2			Ŷ.		*	×	NT/WIN2K on	
Business Copy EVA	×	ĸ		×	1	×	×		×	NT/WIN2K only	NT/WIN2K onl	
Business Copy XP	× 1									Î.		
Tools and Utilities					1		ĺ					
Smart Start	2	×	*	2	× 1	4	2	~	*	*	2	
Insight Manager	×			×	×.	×	×	×.	×	~	¥.	

A.HP Data Protector

B.Legato Networker

C.Tivoli Storage Manager

D.CommVault Galaxy

E.CA BrightStor EB

Correct Answers: B C