Adobe

AD0-E201 Exam

Adobe Analytics Developer Exam

Question: 1	
When collecting a query parameter (cid) to store in a prop, which syntax	is correct?
A. s.prop3 -s.Util,getQueryParam('cid');	
B. s.prop3s.Util,GetQueryParam('cid');	
C. s.prop3s.Util,getQuery,Parameter('cid');	
D. s.prop3 -s.ntil,getquery,Parameter('cid');	
- -	Answer: A
Question: 2	
You are working in Adobe Experience Platform Launch and making multi What is the quickest way to see your results and test your changes?	ple updates to a library:
A. Save your changes using the Working Library function, and build librarB. Open the Local Testing tab, save your changes and build the library.C. Open the Quick publish tab, save your changes, and build the library.D. Open the Publishing tab, save your changes, and build the library.	y.
- -	Answer: A
Question: 3	
When testing, the Adobe Analytics beacon is not firing. There is a JavaSo says "TypeError: Error is not a function". Which is the probable cause of the error?	cript error in the console that
A. A variable called Error	
B. A function called TypeError	
C. A variable called Error	
D. A function called error	
-	Answer: B

Question: 4	
Assuming that all data will be collected from an on-page data layer, property be updated and called by its data element so that the value is at A After the s,t() call before the s,t1() call B. After both the s,yt() and s,t1() calls C. Before any server calls are made D. On DOM ready before window,onload()	•
	Answer: B
Question: 5	
What are two characteristics of the s.compaign variable? (Choose two.)	
A. It is usually set using a query string parameter.	
B. It always expires after a visit.	
C. It is treated the same as an eVar when Adobe Analytics is processing d	ata.
D. Its Vales must always be classified using SAINT the are visible.	
E. It should only be used for tracking internal campaigns.	

Answer: A, D