



Vendor: Dell

Exam Code: DEP-3CR1

Exam Name: PowerProtect Cyber Recovery Exam

Version: DEMO

QUESTION 1

Which IDPA model is supported for the production environment and in the CR Vault?

- A. DP3300
- B. DP8800
- C. DP5400
- D. DP4400

Answer: D

QUESTION 2

A customer wants to recover the Avamar server inside the CR Vault. The checkpoint backup was replicated to PowerProtect DD using the CR Application. While performing the rollback, the job failed.

What is the reason?

- A. Avamar server hostname and the DD Boost UID are the same as the Avamar production host
- B. Avamar server host has a different IP address but the same hostname as the Avamar production host
- C. Avamar server hostname is the same as Production, but the DD Boost UID is different
- D. Avamar server host has the same IP address and hostname as the Avamar production host

Answer: C

QUESTION 3

Before performing a NetWorker recovery, what command needs to be run to determine the UID required?

- A. `crcli policy show -n{Policy_Name}`
- B. `crcli policy show -p{Policy_Name}`
- C. `crcli policy get -n{Policy_Name}`
- D. `crcli policy get -p{Policy_Name}`

Answer: A

Explanation:

To determine the UID required for recovery, run the following CRCLI command on the management host:

```
# crcli policy show -n <policy_name>
```

QUESTION 4

What parameter is added to the command `crsetup.sh` to install Cyber Recovery on a VM?

- A. `start`
- B. `run`
- C. `deploy`
- D. `install`

Answer: C

QUESTION 5

What information is contained within the CR security guide?

- A. Licensing, code integrity, security patches, and malware protection
- B. Access control, log files, communication, and data security
- C. Data security, access control, and manual vault security
- D. Access control, log files, and manual vault security

Answer: B

QUESTION 6

What should the solution architect used to determine a customer's CyberSense server requirements based on their environment?

- A. IndexEngines site
- B. Sizing Calculator
- C. Workload calculator
- D. Cyber Recovery product guide

Answer: B

Explanation:

The CyberSense sizer allows users to view the server requirements based on their environment.

QUESTION 7

What are the required components of a CR Vault Environment?

- A. PowerProtect DD, Dedicated Network, and CR management host
- B. NTP, Cyber Recovery management host, and DNS
- C. Network connection, DNS, and PowerProtect DD
- D. DNS, PowerProtect DD, and NTP

Answer: A

QUESTION 8

What occurs when the CyberSense license expires?

- A. CR software will completely stop
- B. CR software will stop creating the PIT
- C. Analyze operation will continue with a warning
- D. Analyze operation fails

Answer: D

Explanation:

If the capacity exceeds the license capability a message is sent to Cyber Recovery. However, CyberSense uses the 90-day grace period to continue to analyze backups. If the grace period is exceeded and a new license is not applied, analyses are ceased. The same condition happens if the license expires.

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.lead2pass.com/all-products.html>



10% Discount Coupon Code: ASTR14