

EMC

DES-DD33 Exam

Specialist - Systems Administrator PowerProtect DD

Question: 1

Which PowerProtect DD technology provides fast and efficient deduplication while minimizing disk access?

- A. SISL
- B. Cloud Tier
- C. Cache Tier
- D. DIA

Answer: B

Reference: <https://www.delltechnologies.com/asset/en-in/products/data-protection/technical-support/h17926-dellemc-powerprotect-dd-ds.pdf>

Question: 2

Backup administrators have noticed slow backups on the AIX environment. To fix the issue, what should the set large_send be for each NIC, and what should the NFS option be set to?

- A. no and nfs_rfc1323=0
- B. yes and nfs_rfc1323=0
- C. no and nfs_rfc1323=1
- D. yes and nfs_rfc1323=1

Answer: D


Question: 3

DRAG DROP

What are the steps to configure the Retention Lock Compliance?

Create iDRAC users	STEP 1
Add one or more security officer users	STEP 2
Configure the system to use DD Retention Lock Compliance	STEP 3
Enable DD Retention Lock Compliance on the system	STEP 4
Enable the security officer authorization	STEP 5

Answer:



Question: 4

An administrator is scaling Cloud Tier for a DD9400 by adding a second cloud unit. What is the required amount of metadata storage (TB)?

- A. 120
- B. 240
- C. 300
- D. 500

Answer: B

Question: 5

A storage administrator finished the zoning between the PowerProtect DD and the NetWorker backup server.

How can they verify that the zoning was completed properly and the server HBA are visible?

- A. scsitarget initiator show list
- B. scsitarget initiator list
- C. scsitarget show initiator
- D. scsitarget show initiator list

Answer: A
