

# Huawei

## H12-724 Exam

### HCIP-Security (Fast track) V1.0

---

**Question: 1**

---

If the user's FTP operation matches the FTP filtering policy, what actions can be performed? (multiple choice)

- A. Block
- B. Declare
- C. Alarm
- D. Execution

---

**Answer: A, C**

---

Explanation:

---

**Question: 2**

---

Regarding firewall and IDS, which of the following statements is correct?

- A. The firewall is a bypass device, used for fine-grained detection
- B. IDS is a straight line equipment and cannot be used for in-depth inspection
- C. The firewall cannot detect malicious operations or misoperations by insiders
- D. IDS cannot be linked with firewall

---

**Answer: C**

---

Explanation:

---

**Question: 3**

---

Which of the following types of attacks are DDoS attacks? 21

- A. Single packet attack
- B. Flooding attack
- C. Malformed message attack
- D. Snooping scan attack

---

**Answer: B**

---

Explanation:

---

**Question: 4**

---

Part of the reason why the APT attack becomes difficult to defend is that it uses the vulnerabilities to

A. True  
B. False

Explanation:

The following figure shows the configuration of the URL filtering configuration file. Regarding the configuration, which of the following statements is correct?

A. The firewall will first check the blacklist entries and then the whitelist entries.

B. Assuming that the user visits the [www.example.com](http://www.example.com) website, which belongs to the categories of humanities and social networks at the same time, the user cannot access the website.

C. The user visits the website [www.example.com](http://www.example.com), and when the black and white list is not hit, the next step is to query the predefined URL category entry.

D. The default action means that all websites are allowed to visit. So the configuration is wrong here.

**Answer: B**