



**Vendor:** Dell

**Exam Code:** DEA-5TT2

**Exam Name:** Associate - Networking Exam

**Version:** DEMO

#### QUESTION 1

Which flags are used in the TCP header to initiate and end TCP connections or sessions?

- A. Initiate = Acknowledge (ACK)  
End = Synchronize (SYN)
- B. Initiate = Acknowledge (ACK)  
End = Finish (FIN)
- C. Initiate = Synchronize (SYN)  
End = Finish (FIN)
- D. Initiate = Finish (FIN)  
End = Synchronize (SYN)

**Answer: C**

#### QUESTION 2

A VLAN has been configured to have an IPv6 address and a stateless address autoconfiguration for clients. Which IPv6 address prefix will the default gateway have on a client?

- A. fd01::/64
- B. fe08::/64
- C. fe80::/64
- D. ff02::/8

**Answer: C**

#### QUESTION 3

Which fields are mandatory TLVs in a LLDP PDU frame?

- A. System Capabilities and Management Address
- B. Chassis ID, Port ID, and Time-to-Live
- C. IP Address, Default Gateway, and DNS
- D. Port Description, System Name, and System Description

**Answer: B**

#### QUESTION 4

Which IEEE standard defines the Data Link Layer, Discovery protocol?

- A. 802.1AB
- B. 802.1AX
- C. 802.1D
- D. 802.1W

**Answer: A**

#### QUESTION 5

What is the bandwidth of an RPM for a C9010 Network Director?

- A. 200 Mbps

- B. 2.56 Mbps
- C. 1.52 Tbps
- D. 2.56 Tbps

**Answer: D**

**QUESTION 6**

What is the default route preference value for a Border Gateway Protocol (BGP) internal route?

- A. 40
- B. 110
- C. 200
- D. 253

**Answer: C**

**QUESTION 7**

Which Dell EMC Networking M-Series 10 GbE switch model supports a VLT?

- A. MXL
- B. M6220
- C. M6348
- D. M8024-K

**Answer: A**

**QUESTION 8**

A network administrator has a Dell EMC switch that has been configured with several VLANs. Each VLAN switch virtual interface (SVI) has an IP address assigned to it with each of them on different subnets. In addition, routing has been enabled on the switch.

Which action occurs when the switch receives a packet on one of its SVIs but the destination IP address of the packet does not match the IP address of that SVI?

- A. Switch checks its routing table and forwards the packet accordingly.
- B. Switch duplicates the packet and sends it to all interfaces.
- C. Switch replies back to the source with an ICMP Reject packet.
- D. Switch drops the packet.

**Answer: A**

## Thank You for Trying Our Product

### Passleader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER  
NETWORKS



EMC<sup>2</sup>  
where information lives

**10% Discount Coupon Code: ASTR14**