

Vendor: SAP

Exam Code: C_CPE_16

Exam Name: SAP Certified Associate - Backend Developer

- SAP Cloud Application Programming Model

Version: DEMO

QUESTION 1

In SAP Build Process Automation, what is a policy?

- A. A guide to business process mapping
- B. A collection of decisions
- C. A basis for making business rules
- D. A collection of business rules

Answer: D

QUESTION 2

What are some characteristics of YAML files? Note: There are 2 correct answers to this question.

- A. YAML files can be used as configuration files.
- B. YAML files are also valid JSON files.
- C. YAML files are based on XML.
- D. YAML files rely on correct indentation.

Answer: AD

QUESTION 3

What must you do first before you can get visibility into how a process is running?

- A. Save the version of the process you are working on.
- B. Circulate the process for pre-approvals before finalizing it.
- C. Prepare the process to be consumed by the visibility scenario.
- D. Purchase the visibility dashboard capabilities from the SAP store.

Answer: C

QUESTION 4

What is the correct sequence of steps when implementing Tenant-aware Persistence?

- A. Configure a data source
 - Configure Hibernate for multi-tenancy
 - Persisting and accessing the data
 - Tenant onboarding and offboarding
- B. Configure a data source
 - Configure Hibernate for multi-tenancy
 - Tenant onboarding and offboarding
 - Persisting and accessing the data
- C. Tenant onboarding and offboarding
 - Configure a data source
 - Configure Hibernate for multi-tenancy
 - Persisting and accessing the data
- D. Configure Hibernate for multi-tenancy
 - Configure a data source
 - Tenant onboarding and offboarding
 - Persisting and accessing the data

Answer: A

QUESTION 5

Which configuration steps are necessary to set process conditions in SAP Build Process Automation? Note: There are 3 correct answers to this question.

- A. Define If/Else criteria
- B. Map condition input to process content
- C. Add environment variables
- D. Define flow for different conditional paths
- E. Add a condition to the process

Answer: ADE

QUESTION 6

What are tasks of the approuter? Note: There are 3 correct answers to this question.

- A. Routing requests from the web browser to the provider of the UI service.
- B. Routing requests from the application to the SAP Launchpad service.
- C. Authorizing users for the CAP service and the provider of the UI service.
- D. Routing requests from the web browser to the CAP service.
- E. Forwarding user requests to the XSUAA service for authentication and authorization.

Answer: ADE

QUESTION 7

How do you run a CI/CD build manually without pushing changes to Git?

- A. Select Deploy from the project's context menu in the Project Explorer
- B. Submit Changes via Sync & Share action
- C. Select "Trigger a Build' in the CI/CD job's context menu
- D. Create and run "Build task" in Task Explorer

Answer: C

QUESTION 8

When creating a CI/CD job, what does defining Source Control Management (SCM) credentials enable?

- A. Retrieving your project from SCM when its build is triggered
- B. Managing your SCM credentials
- C. Modifying your project source code automatically

Answer: A

QUESTION 9

Which of the following are features of Kubernetes? Note: There are 3 correct answers to this question.

- A. Immutability and self-healing
- B. Hardware virtualization
- C. Service Discovery and load balancing
- D. Operating system management Storage orchestration

Answer: ACD

QUESTION 10

You want to implement an event handler to show a console log once a supplier record is read. What is the correct syntax to implement this?

```
A. const cds = require('@sap/cds')
   module.exports = cds.service.impl(function () {
   const {Supplier) = this.entities()
   this after('each Supplier, row =>{ console.log("Read Supplier: ${row.ID}') })
B. const cds = require("@sap/cds')
   module.exports = cds.service.impl(function () {
   const {Supplier) = this.entities()
   this.on('each',Supplier, row =>{ output.log("Read Supplier: ${row.ID}") })
C. const cds = require('@sap/cds")
   module.exports = cds service.impl(function() {
   const {Supplier) = this.entities()
   this.on('each, Supplier, row => console.log("Read Supplier: $\{row.ID\}")
D. const cds = require('@sap/cds')
   module.exports = cds.service.impl(function() {
   const {Supplier) = this.entities()
   this after('each Supplier, row => { output.log("Read Supplier: $[row.ID}") })
   })
```

Answer: A

QUESTION 11

What can you define in the application router's design-time descriptor: xs-app.json? Note: There are 2 correct answers to this question.

- A. role-templates
- B. routes
- C. authenticationMethod
- D. modules

Answer: BC

Thank You for Trying Our Product

Lead2pass Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.





- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.lead2pass.com/all-products.html

























10% Discount Coupon Code: ASTR14