



Vendor: Huawei

Exam Code: H19-402_V1.0

Exam Name: HCSP-Presales-Data Center Network
Planning and Design V1.0

Version: DEMO

QUESTION 1

In centralized gateway deployment mode, a centralized gateway is deployed on only one device to forward all intra-subnet traffic and inter-subnet traffic, implementing centralized traffic management.

- A. TRUE
- B. FALSE

Answer: A

QUESTION 2

In the intelligent O&M scenario of the CloudFabric solution, which of the following can be monitored by telemetry?

- A. Device
- B. Card
- C. Chip
- D. Interface
- E. Queue

Answer: ABDE

QUESTION 3

Which of the following configurations can be different on the two member devices in an M-LAG?

- A. VLAN
- B. VBDIF
- C. BD
- D. ACL

Answer: D

QUESTION 4

Which of the following stages are involved in the process of establishing an M-LAG?

- A. DFS group pairing
- B. Master/Backup negotiation
- C. Entry synchronization
- D. DAD

Answer: B

QUESTION 5

Which of the following is not included in the three phases of data center network architecture evolution?

- A. STP + VRRP
- B. Stacking/M-LAG
- C. Eth-Trunk +VRRP

D. Spine-leaf + VXLAN

Answer: ABC

QUESTION 6

Which of the following statements is false about the Multi-PoD scenario in CloudFabric solution?

- A. Multi-PoD is also called a remote controller cluster solution.
- B. One copy of iMaster NCE-Fabric is used to manage multiple data centers.
- C. Two iMaster NCE-Fabric clusters can be remotely deployed in active/standby mode.
- D. Both the active and standby controller clusters in the Multi-PoD solution are running and processing services.

Answer: D

QUESTION 7

M-LAG implements link aggregation among multiple devices. To be specific, one device is connected to a dual-active system consisting of two devices through M-LAG, achieving device-level link reliability.

- A. True
- B. False

Answer: A

QUESTION 8

Which of the following scenarios support automatic deployment?

- A. TOR switch capacity expansion
- B. Server capacity expansion
- C. PoD creation
- D. Egress network automation

Answer: C

QUESTION 9

Which of the following is not involved in protocol health evaluation of iMaster NCE-FabricInsight?

- A. M-LAG status
- B. OSPF connection
- C. BGP peer connection
- D. ARP

Answer: D

QUESTION 10

The essential difference between software SDN and hardware SDN is whether VLAN VTEPs are deployed on servers or hardware switches.

- A. True
- B. False

Answer: B

QUESTION 11

Different interfaces on a Layer 2 switching device send and receive data independently. By default, these interfaces belong to different broadcast domains.

- A. True
- B. False

Answer: A

QUESTION 12

The controller interconnects with the cloud platform through RESTful interfaces to receive network service instructions delivered by the cloud platform.

- A. True
- B. False

Answer: A

QUESTION 13

iMaster NCE-Fabric integrates management, control, and analysis.

- A. True
- B. False

Answer: A

QUESTION 14

The underlay network in CloudFabric is responsible for the physical infrastructure that supports the overlay network.

- A. True
- B. False

Answer: A

Explanation:

The underlay network provides the physical infrastructure that supports the overlay network for communication and service delivery.

Thank You for Trying Our Product

Passleader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



JUNIPER
NETWORKS



EMC²
where information lives

10% Discount Coupon Code: ASTR14