Exam Code: COG-300

**Exam Name:** IBM Cognos TM1 Analyst

**Vendor:** IBM

Version: DEMO

## Part: A

- 1: Why would an analyst create a subset?
- A.To quickly see the top level elements.
- B.To quickly see the top 5 values in a cube.
- C.To change the dimension order.
- D.To change the cube structure.
- **Correct Answers: A**
- 2: Which type of subset will ensure the Products dimension includes an up to date list?
- A.Private
- **B.Default**
- C.Dynamic
- D.Filtered
- **Correct Answers: C**
- 3: Which of the following is used to display elements in different languages for use world-wide?
- A.Alias
- B.Mask
- C.Text attribute
- D.Format attribute
- **Correct Answers: A**
- 4: In the list of accounts, cash accounts are preceded with 100 in the five digit account code. Which of the following can be used as a wildcard character to display only the accounts beginning with 100?
- A.Asterisk (\*)
- B.Pipe symbol (I)
- C.Question mark (?)
- D.Ampersand (&)
- **Correct Answers: A**
- 5: Which of the following can an analyst create to override the public default view when opening a cube?
- A.Private dynamic view
- B.Private default view
- C.Private static view
- D.Public dynamic view
- Correct Answers: B
- 6: Each individual month is the leaf element in the month dimension. Which type of filter can an analyst use to create a subset with just the individual months?
- A.Filter by view extract.
- B.Filter by index.

C.Filter by wildcard. D.Filter by level. **Correct Answers: D** 7: When formatting a report using Active Forms, what must be done first? A.Display the format area. B.Open the format page. C.Display the format sheet D.Open the format view. **Correct Answers: A** 8: A template needs to return the Current Month from a look-up cube. The rest of the cells are dependent upon the Current Month. Which worksheet function should the analyst use for the Current Month? A.DBRW **B.DBR** C.DBS D.DBA **Correct Answers: B** 9: An analyst needs to create a forecasting template to update data in cells and have a dynamic list of products on the rows. Which option should be used to create the report? A.Active Form **B.Classic slice** C.Microsoft Excel D.Microsoft Word **Correct Answers: A** 10: When reviewing data that will be uploaded into a cube, the rows and columns are static. Which of the following would an analyst use? A.Dynamic Slice B.Cube View C.Active Form D.Classic Slice **Correct Answers: D** 11: Which worksheet function enables the end user to create their own subsets from the title dimensions? A.DNEXT **B.VIEW C.DFIRST** D.SUBNM **Correct Answers: D** 

12: Why would an analyst create a snapshot of a cube?

A.To access data with the In-spreadsheet browser.

B.To access data without access to a TM1 server.

C.To access data on a TM1 server.

D.To access data using TM1 web.

**Correct Answers: B** 

13: When a report requires data from multiple views, what must be inserted into an Active Form?

A.A title element

B.A chart

C.A section

D.A cube

**Correct Answers: C** 

14: Which TM1 components can present a chart along with table data in a report?

A.TM1 Perspectives and TM1 Web

B.Cube viewer and Microsoft Excel

C.TM1 Perspectives and TM1 Architect

D.TM1 web and Microsoft Excel

**Correct Answers: A** 

15: Which of the following enables drill-down in a websheet?

A.Active report

B.Active form

C.Data validation

D.Classic Slice

Correct Answers: B