

**Exam Code:** 920-352

**Exam Name:** BCS 3000 Rls.1.0 Storage Networking  
Engineering

**Vendor:** Nortel

**Version:** DEMO

## **Part: A**

1: Which NTP provides information for system maintenance of the BCS Shelf?

- A.NTB26402 Planning Guide
- B.323-1421-201 Installation and Commissioning Procedures
- C.323-1421-310 Administration and Configuration Procedures
- D.323-1421-543 Monitoring, Alarm Clearing and Module Replacement

**Correct Answers: D**

2: Which NTP provides information for the initial setup of the BCS Shelf?

- A.NTB26402 Planning Guide
- B.323-1421-201 Installation and Commissioning Procedures
- C.323-1421-310 Administration and Configuration Procedures
- D.323-1421-543 Monitoring, Alarm Clearing and Module Replacement

**Correct Answers: B**

3: What are two of the functions that the BCS Director integrates into a graphical user interface?  
(Choose two.)

- A.License Services
- B.Network Information
- C.Provisioning Manager
- D.Surveillance Manager

**Correct Answers: C D**

4: Which BCS 3000 module is configured by the BCS Director Connection Management?

- A.Application Module
- B.Dynamic Network Module
- C.Wide Area Network Module
- D.Virtual-Local Area Network Module

**Correct Answers: B**

5: What protocol is used by BCS Director to communicate with the BCS 3000 shelf?

- A.TL1
- B.ICMP
- C.SMTP
- D.SNMP

**Correct Answers: D**

6: Which statement about the BCS Director is true?

- A.The BCS Director is the person that manages the BCS 3000.
- B.The BCS Director is the patch management engine for the BCS 3000.
- C.The BCS Director is the text-based interface to manage the BCS 3000.
- D.The BCS Director is the graphical user interface to manage the BCS 3000

**Correct Answers: D**

7: What are two requirements for a computer to launch BCS Director? (Choose two.)

A.1 GB RAM

B.Microsoft Access

C.Windows 2000 or XP

D.Java-enabled web browser with JRE 1.5.0

**Correct Answers: C D**

8: Which two are Dynamic Network Module (DNM) client features? (Choose two.)

A.Constant bit-rate

B.Fixed frame size

C.V-LAN tag provisioning

D.Gigabit Ethernet and Fiber Channel support

**Correct Answers: C D**

9: How many Data Sharing Modules can a BCS chassis hold?

A.1

B.2

C.3

D.5

E.7

**Correct Answers: B**

10: Which statement about Time of Day (ToD) bandwidth management is true?

A.It cannot be used in a point-to-point configuration.

B.It can be used to manage FC FICON protocols only.

C.It is provisionable only through the Dynamic Network Module (DNM).

D.The bandwidth profile is used to provide a way to modify port priorities.

**Correct Answers: C**