



Vendor: IBM

Exam Code: A2090-735

Exam Name: Assessment: DB2 9.5 SQL Procedure
Developer-Assessment

Version: DEMO

QUESTION 1

Given the statement shown below:

```
SELECT ROW CHANGE TOKEN FOR dept, RID_BIT (dept)
FROM dept WHERE deptno ='A00' WITH UR
```

Which two statements are true? (Choose two.)

- A. The statement is selecting two columns from DEPT table.
- B. The statement will allow the latest ROW CHANGE TOKEN value to be returned.
- C. The statement will allow the earliest ROW CHANGE TOKEN value to be returned.
- D. The statement will return a TIMESTAMP value.
- E. The statement uses optimistic locking.

Answer: BE

QUESTION 2

Which CREATE PROCEDURE statement option should be used if you plan on issuing a DECLARE GLOBAL TEMPORARY TABLE statement from within the SQL procedure body?

- A. CONTAINS SQL
- B. READS SQL DATA
- C. MODIFIES SQL DATA
- D. LANGUAGE SQL

Answer: C

QUESTION 3

Click the Exhibit button.

MISSING EXHIBIT

```
CREATE PROCEDURE testproc( IN i1 INT, INOUT i3 INT)
SPECIFIC testproc
BEGIN
SET i3 = i1;
END

CREATE PROCEDURE testproc( IN i1 INT, INOUT i2 INT, INOUT i3 INT)
SPECIFIC testp
BEGIN
SET i3 = i1 * i2;
END
```

Given that the statements in the exhibits have executed successfully, which solution contains the complete set of commands that could be used to drop both procedures in the order presented?

- A. DROP PROCEDURE testp;
DROP PROCEDURE testp;
- B. DROP PROCEDURE testp;
DROP PROCEDURE testproc;
- C. DROP SPECIFIC PROCEDURE testproc;
DROP PROCEDURE testproc;
- D. DROP PROCEDURE testproc(INT);

Answer: C

QUESTION 4

Click the Exhibit button.

MISSING EXHIBIT

```
CREATE FUNCTION sum(a INT, b INT)
```

```
RETURNS INTEGER
```

```
SPECIFIC sum_of_2
```

```
RETURN a + b;
```

```
CREATE FUNCTION sum(a INT, b INT, c INT)
```

```
RETURNS INTEGER
```

```
SPECIFIC sum_of_3
```

```
RETURN a + b + c;
```

Given the two functions in the exhibit, what is the correct command to invoke the function which calculates the sum of two numbers from an SQL procedure?

- A. SELECT sum_of_2 FROM table1;
- B. SELECT sum(2,4,?);
- C. SET res_sum = sum(2,6);
- D. CALL sum(?,?,?);

Answer: C

QUESTION 5

Given the statements shown below:

```
DECLARE c_dept CURSOR WITH HOLD FOR
```

```
SELECT * FROM dept;
```

```
OPEN c_dept;
```

Which two conditions are true? (Choose two.)

- A. C_DEPT will remain open after a ROLLBACK.
- B. C_DEPT will remain open after a COMMIT.
- C. C_DEPT will be returned to the caller of the routine.
- D. C_DEPT will be positioned before the next logical row.
- E. All locks held by C_DEPT will be released after a COMMIT.

Answer: BD

QUESTION 6

Given the SQL statements shown below:

```
DECLARE test CURSOR FOR
```

```
SELECT hiredate
```

```
FROM employee
```

```
FOR UPDATE;
```

Which statement correctly describes the cursor that is created?

- A. The cursor will be considered a read-only cursor.
- B. The cursor can only be used to perform positioned updates.
- C. The cursor can only be used to perform positioned deletes.
- D. The cursor can be used to perform positioned updates and deletes.

Answer: D

QUESTION 7

Which statement can be used to define an array of 30 names that have a maximum size of 25 characters each?

- A. CREATE TYPE names AS VARCHAR(25) ARRAY[30];
- B. CREATE ARRAY names[30] VARCHAR(25);
- C. CREATE TYPE names[30] VARCHAR(25);
- D. CREATE ARRAY names AS VARCHAR(25);

Answer: A

QUESTION 8

What will be the initial value of V_MAX in the declaration statement shown below?

```
DECLARE v_max DECIMAL(9,2);
```

- A. 0.0
- B. 2
- C. 9

D. NULL

Answer: D

QUESTION 9

Which statement should be used to declare an array with at most 10 elements of type INTEGER?

- A. DECLARE sub_total INTEGER[10];
- B. DECLARE sub_total[10] INTEGER;
- C. CREATE TYPE sub_total AS INTEGER[10];
- D. CREATE TYPE sub_total[10] AS INTEGER;

Answer: C

QUESTION 10

What are two valid DECLARE statements in an SQL procedure? (Choose two.)

- A. DECLARE var1 INTEGER;
- B. DECLARE var1 DECIMAL [9];
- C. DECLARE var1 XML;
- D. DECLARE var1 CURRENT DATE;
- E. DECLARE var1[10] INTEGER;

Answer: AC

QUESTION 11

Which steps must be followed to return a result set from an SQL procedure?

- A.
 1. Create the procedure using the DYNAMIC RESULTSETS clause.
 2. Declare the cursor.
 3. Open the cursor in the SQL procedure.
 4. Close the cursor.
 5. Return to the application.
- B.
 1. Create the procedure using the DYNAMIC RESULTSETS clause.
 2. Declare the cursor using the WITH RETURN clause.
 3. Open the cursor in the SQL procedure.
 4. Return to the application.
- C.
 1. Create the procedure using the WITH RETURN clause.
 2. Declare the cursor using the DYNAMIC RESULT SETS clause.
 3. Open the cursor in the SQL procedure.
 4. Return to the application.
- D.
 1. Create the procedure using the WITH RETURN clause.
 2. Declare the cursor using the DYNAMIC RESULT SETS clause.
 3. Open the cursor in the SQL procedure.
 4. Close the cursor.

Answer: B

QUESTION 12

Which statement can be used to declare a variable inside an SQL procedure that can be used to

represent a monetary value?

- A. DECLARE v_money MONEY;
- B. DECLARE v_money DOUBLE;
- C. DECLARE v_money DECIMAL(9,2);
- D. DECLARE v_money CURRENCY;

Answer: C

QUESTION 13

What are two valid special registers? (Choosetwo.)

- A. CURRENT_CLIENT_ACCT
- B. CURRENT_SCHEMA
- C. CURRENT_PATH
- D. CURRENT_DATETIME
- E. CURRENT_PARTITION

Answer: BC

QUESTION 14

Which statement will successfully create an SQL procedure that returns the name of the current month?

- A. CREATEPROCEDURE proc.current_month(OUT month VARCHAR(20)) BEGIN
DECLARE today DATE;
SET (today = CURRENT_DATE);
SET month = MONTHNAME(today);
END
- B. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20)) BEGIN
DECLARE today DATE;
SELECT (CURRENT_DATE) INTOtoday;
SET month = MONTHNAME(today);
END
- C. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20)) BEGIN
DECLARE today DATE;
VALUES (CURRENT_DATE) INTO today;
SET month = MONTHNAME(today);
END
- D. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20)) BEGIN
SET month = MONTHNAME(SELECT (CURRENT_DATE))
END

Answer: C

Thank You for Trying Our Product

PassLeader Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.passleader.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives[®]

10% Discount Coupon Code: STNAR2014